BREVIORA

Museum of Comparative Zoology



US ISSN 0006-9698

CAMBRIDGE, MASS.

14 DECEMBER 2016

Number 551

HERBERT WALTER LEVI (1921–2014) AND LORNA LEVI (1928–2014)

LAURA B. LEIBENSPERGER

ABSTRACT. With the death of Herbert Walter Levi on 3 November 2014, a major figure in arachnology was lost. Herb was associated with Harvard University for over 60 years. As Alexander Agassiz Professor of Zoology, he taught Invertebrate Zoology in lecture, laboratory, and in the field. As Museum of Comparative Zoology (MCZ) Curator of Invertebrates, he managed a large and taxonomically diverse collection. Over the course of his career Herb published more than 200 scientific papers and described 1,254 spider species. His descriptions and illustrations set a standard for the field, and his *Spiders and Their Kin* Golden Guide remains a popular resource. The MCZ benefitted widely from his collecting nearby and abroad. From Herb's original cadre of students several academic generations have entered contemporary arachnology. Sadly, Herb's death was followed shortly by the death of Lorna (Rose) Levi on 15 November 2014, his wife of 65 years, research partner, and co-author, and conservationist, naturalist, and educator in her own right.

This paper offers a short biography of Herbert W. Levi and lists his publications and named species.

KEY WORDS: Herbert W. Levi; Lorna R. Levi; arachnology; invertebrate zoology; Harvard University; Museum of Comparative Zoology

INTRODUCTION

The field of arachnology lost a major figure with the death of Herbert Walter Levi (3 January 1921–3 November 2014) two months short of what would have been his 94th birthday. For almost four decades Herb held the Harvard University positions of Alexander Agassiz Professor of Zoology and

Curatorial Assistant, Department of Invertebrate Zoology, Museum of Comparative Zoology, Harvard University, 26 Oxford Street, Cambridge, Massachusetts 02138, U.S.A.; e-mail: lleibens@oeb. harvard.edu.

Curator of Invertebrate Zoology in the Museum of Comparative Zoology (MCZ). He retired officially in July 1991 but remained active for over 20 more years, during which time he published several monographs, collaborated on papers with younger arachnologists, posted his unpublished drawings online, and provided identifications and expertise upon request. He continued to travel and collect enthusiastically around New England and in Alaska, where his daughter lived until recently. Herb authored or coauthored over 200 scientific publica-

[©] The President and Fellows of Harvard College 2016.




Figure 1. Original plate. Levi, H. W. 1985. The spiny orb-weaver genera *Micrathena* and *Chaetacis* (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **150(8):** 567, fig. 605–624, (courtesy of the MCZ Ernst Mayr Library Special Collections; used with permission of the Museum of Comparative Zoology, Harvard University).

tions. Although he studied a wide range of arachnids, his focus was on spiders of the families Theridiidae, Tetragnathidae, and Araneidae in the Americas. Overall, he described 1,254 new spider species, with 1,204 species considered valid as of this writing (128 valid species have been transferred to other genera, and 50 have been synonymized). His careful descriptions and detailed illustrations set a standard for the field (Figure 1).

Over the course of his teaching career, first at the University of Wisconsin and then at Harvard University, Herb taught classes in evolution, entomology, ornithology, systematic biology, field biology, invertebrate biology, and freshman seminar. In addition to advising 14 doctoral students, Herb oversaw several undergraduate theses and publications.

As Curator, Herb managed a collection of over 2 dozen invertebrate taxa, ranging from the noninsect terrestrial arthropods to large marine groups such as the Crustacea, Porifera, Annelida, Ctenophora, and Cnidaria and the numerous smaller invertebrate phyla. Several major renovations and collection moves were effected during his curatorship. He also served actively as Curator Emeritus during searches for his successor.

Herb's legacy lasts in the arachnological knowledge that he passed on personally and through his publications, and in his connections with both professional and "amateur" arachnologists. From his original cadre of students several academic generations have entered arachnology and related fields. Herb's widest known work is probably the *Spiders and Their Kin* Golden Guide, cowritten with wife Lorna and illustrated by Nicholas Strekalovsky. First published in 1968, it has been revised and reprinted several times, published in several languages and as an e-book, and remains an accessible and popular resource. Hardly a visitor to the

MCZ spider collection failed to mention starting out with *Spiders and Their Kin*.

Sadly, Herb's death was followed shortly by the death of Lorna (Rose) Levi, his wife of 65 years, on 15 November 2014 at the age of 86. In many contexts, one could not refer to Herb without adding "and Lorna." During their early years in Cambridge, Lorna worked at the MCZ as assistant to Professor Ernst Mayr. She was research partner and coauthor on Herb's early works and always the first reader of Herb's manuscripts. She was also a conservationist, naturalist, and educator involved in several conservation associations, including the Nashua River Watershed Association, Nashoba Land Trust, Nissitissit Land Trust, and Beaver Brook Association.

LIFE AND CAREER

Herbert Walter Levi was born in Frankfurt am Main, Germany on 3 January 1921. During his youth his family spent much of their free time at his grandparents' mountain house in Eppenhain. An unfettered life there reinforced his love of the outdoors and interest in nature. The sale of the house at the time of the Nazi ascendancy was a major blow, and soon after the family chose to leave Germany permanently. Aided by relatives, Herb spent 1937 in London, where he attended school, and in 1938 he rejoined the family on a ship headed for New York. Arriving there, Herb's American relatives were reportedly "shocked" by his poor English, and he ended up repeating a year of high school. However, Herb was always an excellent artist. He had the luck of meeting a teacher who encouraged him to explore evening classes at the Art Students League. Herb began attending classes there, eventually receiving a scholarship. Upon gaining sufficient proficiency in English, Herb began work at a Shelton, Connecticut



Figure 2. Herb and Lorna Levi in Frankfurt, Germany, (with colleague), 1958 (photographer unknown).

textile mill owned by relatives, where he worked in the chemistry laboratory experimenting with fabric dyes.

When the United States entered World War II, Herb registered for the draft but was rejected. Unfortunately, and independently of his application, he was classified as a German enemy alien and was (theoretically) not allowed to leave Shelton. Nonetheless, he managed to get borrowing privileges from the Yale University Library: McCook's American Spiders and Their Spinning Work was a major find. Around this time he also

made the acquaintance of Willis Gertsch of the American Museum of Natural History, who encouraged Herb's interest in spiders.

In 1943 Herb enrolled at the University of Connecticut. In spite of his interests in art and natural history, he majored in chemistry, seeing it as a useful career path. After completing his degree in 1946 though, Herb decided to formally return to arachnology and entered the doctoral program in zoology at the University of Wisconsin, Madison. In 1949 he received his doctorate with a thesis focusing on the life history of pseudoscorpions.

With the end of the war in 1946, Herb became a naturalized U.S. citizen. In 1949 he married Lorna Rose (Figure 2), also a student at the University of Wisconsin. For 5 years after receiving his doctorate Herb taught courses in invertebrate zoology, entomology, field biology, and ornithology, first as Assistant Professor, then as Associate Professor, at the University of Wisconsin Extension Center in Wausau. He also taught a course in evolution at the Madison campus.

Herb began his career at the MCZ in a somewhat roundabout way. At a meeting of the Wilson Bird Society Herb had a fortuitous conversation with Ernst Mayr, who suggested that Herb work at the MCZ during the summer of 1955. Herb and Lorna came to Cambridge but chose not to finish out the season, largely due to Herb's dislike of living in the city. In spite of this "dereliction," he was offered the position of Assistant Curator of Arachnology (partially funded by a gift from the arachnologist Elizabeth Bangs Bryant), which he assumed in 1956. At the time, MCZ curators did not have faculty duties or status. However, Herb had the opportunity to teach a course on "Biology for High School Teachers" offered by the School of Education through a National Science Foundation-supported

program. Though he originally saw the curatorship as a temporary move while waiting for a teaching-oriented position, Herb stayed at Harvard. He was promoted to Associate Curator in the 1957 academic vear, then to full Curator in 1966. He continued to have teaching opportunities, and beginning in 1964 held the position of Lecturer in Biology as well as the curatorial title. In 1970, several curators, including Herb, joined the Faculty of Arts and Sciences as full Professors of Biology. In 1972, Herb was appointed Alexander Agassiz Professor of Zoology. For many years thereafter he taught "Biology of Invertebrate Animals," "Systematic Biology," and the biology course for high school teachers.

Herb was active in the American Arachnological Society (AAS) and the International Society of Arachnology (ISA; at the time known as Centre International de Documentation Arachnologique, CIDA). Herb served as CIDA president from 1980 to 1983. He was a 1973 founding member of the AAS and served as president for two terms from 1977 to 1981, as director for two terms (1976-1977; 1981-1983), and as a member of the editorial board of the AAS Journal of Arachnology from 1974 to 2012. He was on the editorial boards of several other journals including Transactions of the American Microscopical Society, Psyche (Journal of the Cambridge Entomological Club), Zoomorphology, and Pacific Insects.

RESEARCH

The first question that Herb generally asked was "What is it?" He told a story about his delve into spider taxonomy to student Jonathan Coddington: while taking a class with Aldo Leopold, (a large influence overall), Herb wanted to put names on the spiders he had collected. Leopold's reply was apparently to the effect of, "Oh, ignore the

spiders. Nobody knows how to identify them." (J.A. Coddington, personal communication). This paucity of resources for identifying spiders was one factor in his decision to study taxonomy. Historical works often included only one or two minimally detailed views of a specimen and descriptions were often general. In contrast, Herb wrote detailed descriptions and diagnoses, exhaustive lists of synonyms, and keys including all known species within a given geographic area. Genitalia were illustrated from several angles (genitalia being the most useful character for species identification). One of Herb's major contributions to spider taxonomy was the standardization of diagnostic views, highlighting genitalic details useful in identification and species comparisons.

Herb was well known in the spider world for the quality of his illustrations. He believed that drawing ability was crucial for taxonomic work. He developed a pencil technique that mimicked the look of pen and ink stippling. First, relevant views of each specimen were drawn on plain papers on which Herb had drawn gridlines scaled to the appropriate microscope grid. These drawings were traced onto coquille board, a paper with a slightly textured surface. Light and dark areas were graded with a lithograph pencil and finer lines added in black ink or white paint. The finished drawings were carefully cut out and glued to a sheet of bristol board. Submitted manuscripts were accompanied by a pile of these bristol boards, often several inches thick.

Over his 60-plus-year career Herb published more than 200 scientific papers. Although short papers involved International Committee on Zoological Nomenclature rulings, book reviews, textbook entries, and historical notes, his major focus was American genera of the spider families Theridiidae, Araneidae, and Tetragnathidae. Overall, he

named 1,254 species new to science, with 1,204 considered valid today. Herb felt that it was important that his monographs be of broad use. In a protocol written for students, he reminds them that "The revision should be useful (his emphasis) to ecologists, amateurs, collectors. Omit all \$60 terms and write in simple plain language." His keys to the Araneidae, Tetragnathidae, and Theridiidae appear in the 2005 edition of Spiders of North America: An Identification Manual, a useful reference for spider enthusiasts at all levels.

Part of Herb's success in finding species new to science was his willingness to sort through large collections from then-undercollected areas such as the Brazilian preserves near Manaus and the Colombian páramos, as well as unsorted museum collections. He was very methodical in his approach to sorting collections, which often comprised hundreds of undetermined specimens. He or an assistant would remove "irrelevant" specimens, identify them when possible, and shelve them for a future revision. Specimens in the relevant genus were then sorted geographically and Herb would work through them in a "north-tosouth" direction.

Herb also made "sweeps" of the major museums in Europe and Latin America. Notes and drawings of type specimens made on these trips were the underpinnings of taxonomic revisions, even those planned for several years ahead. Index-card-sized copies of these illustrations were sent in packs to colleagues to aid them in identifying orb-weavers.

Much of Herb's research during the 1960s and 1970s involved National Institutes of Health-funded studies of the venomous spiders *Latrodectus* (widow spiders) and *Loxosceles* (recluse spiders). In 1962, Herb traveled to (what was then) Yugoslavia to study an irruption of *Latrodectus*. He also researched *Latrodectus* in Florida in collab-

oration with J. D. McCrone in 1964, and in 1965 spent several months in South America, studying Latrodectus with Jorge Abalos in Argentina and traveling in Peru, Chile, Argentina, and Brazil. In the spring of 1975, Herb enjoyed an Invited Professorship at Hebrew University in Israel, hosted by Gershom Levy, and studied Latrodectus. An unusual research opportunity was presented in 1960 with the discovery of a "colony" of brown recluse spiders living in the basement and first floor of the MCZ (the "research opportunity" drew to a close in 1962 with application of pesticide spray), and again in 1987 when widow spiders were discovered on the islands of Nantucket and Martha's Vineyard.

Fieldwork was always a favorite part of Herb's research (Figure 3), with Lorna and daughter Frances traveling and collecting as well. In conjunction with Herb's research on Latrodectus, the Levis traveled in Yugoslavia, (primarily in what is now Bosnia and Herzegovina, and Croatia), and Mediterranean France and Italy. They returned to France in 1968, this time to the Pyrenées region. The 1970s saw several trips to Puerto Rico, Jamaica, and the U.S. Virgin Islands. In 1973, Herb collected in Colombia and in Panama with former student Bill Eberhard and Yael Lubin. In 1983 he collected again in Panama, and also with Bill Eberhard in Costa Rica. In 1979, Herb collaborated with Michael Robinson and Yael Lubin in Papua New Guinea, with Herb's main focus being the study of webs. Trips to international arachnology meetings (CIDA/ISA) provided collecting opportunities, including meetings in Paris (1968), Brno (1971), Amsterdam (1974), Exeter (1977), Vienna (1980), Panama (1983), Jaca (1986), and Badplaas (2001). He attended most of the annual AAS meetings, ensuring broad spider collecting across the United States. Herb also collected close to home in Pepperell, Massachusetts,

which he described as a juncture between the southern and northern New England faunas. He collected not only arachnids, but also birds that flew into windows and mice that made the mistake of holing up inside for the winter. "Massachusetts: Middlesex: Pepperell" is a common collecting locality in several MCZ collections.

Although his research often took him traveling, the center of Herb's work life was the house in Pepperell where he and Lorna lived for most of their lives. Until 1968, the Levis lived in a Cambridge apartment near the museum, spending summers and weekends in Pepperell while making repairs to the house. Once the permanent move to Pepperell was made, Herb's home study, equipped with library, art supplies, and microscopes, became a center of arachnological life parallelling his museum office. Herb arranged his schedule to spend 3 days at the MCZ, then continue microscope work, drawing, and writing at home. Visiting researchers were always encouraged to fit a trip to Pepperell around their museum work, and many benefitted from the chance to talk with Herb and Lorna in a comfortable setting and enjoy one of Lorna's delicious and healthy meals. Part of any visit included a walk through the woods to see the vernal pond, or through the fields to check the nest boxes: Herb and Lorna carefully maintained bluebird boxes and took great pleasure in seeing the babies fledge. There was a succession of dogs, horses, sheep, a goat, house rabbits, a house turtle (an Eastern Box turtle given to Herb by Jim Carico), and a jar or two in the kitchen with black widow spiders who fed on hand-plucked carpenter ants (however, Herb openly disliked cats because of their predation on birds). There was always a garden or other seasonal project going on, and even in the last summer of his life Herb asked visitors to postpone visits until after he had



Figure 3. Herb Levi in the field with a student, Florida, 1976 (photographer unknown).

finished harvesting the blueberry crop waiting for him.

STUDENTS

Herb served as advisor to 14 students who received graduate degrees, generally having three students at any given time. Although he constantly enjoined his students not to get sidetracked from their thesis research, some of those "sidetracks" became focal career points. Several generations of arachnologists have now radiated from Herb's original group of students:

Allen R. Brady: Ph.D. 1965; Professor, Biology, Hope College, Holland, Michigan (retired); taxonomy of the Oxyopidae and Lycosidae.

Joseph A. Beatty: Ph.D. 1969; Professor, Zoology, Southern Illinois University, Carbondale (deceased); taxonomy of the Dysderidae and Desidae; spiders of the Pacific islands.

Jonathan Reiskind: Ph.D. 1967; Professor, Zoology, University of Florida, Gainesville (retired); taxonomy of the Corinnidae.

William G. Eberhard: Ph.D. 1969; Professor, Biology, Universidad de Costa Rica, and Senior Staff Scientist, Smithsonian Tropical Research Institute, Panama; webs,

behavior, species specificity of genitalia in the context of female choice.

Frederick A. Coyle: Ph.D. 1971; Professor, Biology, Western Cullowhee University, Cullowhee, North Carolina (retired); taxonomy of the Antrodiaetidae and Dipluridae, spider fauna of the southern Appalachians, summer course at the Highlands Biological Station in North Carolina.

William A. Shear: Ph.D. 1971; Professor, Biology, Hampden–Sydney College, Hampden–Sydney, Virginia (retired); spider taxonomy, webs,fossil history, taxonomy and biology of Myriapoda and Opiliones, summer course at the Highlands Biological Station in North Carolina.

Norman I. Platnick: Ph.D. 1973; Curator of Invertebrate Zoology, American Museum of Natural History, New York, New York (retired); higher-level phylogeny of the Araneae, taxonomic revisions of several families, creation and development of the "World Spider Catalog."

Brent D. Opell: Ph.D. 1978; Professor, Biological Sciences, Virginia Polytechnic Institute and State University, Blacksburg, Virginia; taxonomy of the Uloboridae, evolution and properties of silk and webs.

Jonathan A. Coddington: Ph.D. 1984; Curator, arachnids and myriapods, Smithsonian Institution, National Museum of Natural History, Washington, D.C.; taxonomy of the Theridiosomatidae, higher-level phylogeny of the Araneae, methodology for inclusive faunal inventories.

Mark K. Stowe: A.M. 1981; Researcher, Gainesville, Florida; prey capture, use of pheromone mimics to attract prey.

Wayne P. Maddison: Ph.D. 1988; Professor, Dept. of Zoology and Botany, University of British Columbia, Vancouver; taxonomy of the Salticidae, phylogeny and genomics, 'MacClade' and 'Mesquite' software.

Jacqueline M. Palmer: Ph.D. 1991; Proprietor, Dark Cove Pottery and Farm, North Carolina; spider silk and histology.

Leticia Avilés: Ph.D. 1992; Professor, Biodiversity Research Center, University of British Columbia, Vancouver; sociality, population structure, sex ratio theory.

William H. Piel: Ph.D. 1997; Assistant Professor, Biology, Yale/National University of Singapore, Singapore; taxonomy of orbweavers, informatics, "TreeBase."

In addition to guiding his doctoral students, Herb taught a freshman seminar almost every semester, and served as advisor on several Harvard senior theses and undergraduate publications.

THE MCZ INVERTEBRATE ZOOLOGY DEPARTMENT

For historical reasons, the Invertebrate Department encompasses a wide-ranging assortment of over 2 dozen taxa: three major arthropod clades (Chelicerata, Myriapoda, and Crustacea), plus the other recent invertebrates exclusive of Echinodermata, Bryozoa, Brachiopoda, and Urochordates. Of course, under Herb's curatorship, spiders were the focal point of the department. The MCZ spider collection is one of the world's largest, estimated at 800,000-plus specimens, and continues to serve as a major depository for vouchers from taxonomic and ecological studies.

Although Herb himself was not enthusiastic about databasing (even paper catalogues were not routinely used in entomology collections), simple databases of type specimens were compiled by staff using now "antique" software such as Peachtree and HyperCard on Apple IIs and MAC 128s. These files have been "translated" several times over, and are now part of the museum-wide collections database, "MCZbase" (http://mczbase.mcz.harvard.edu/). Current-



Figure 4. Herb Levi in his MCZ office, ca. 1990 (photographer unknown).

ly, type specimens have been catalogued and databasing of the general collection is in progress.

Herb oversaw several major collection reorganizations, including the initial separation of Chelicerates from the entomology collections (1963), a move to the fifth floor of the newly built MCZ Laboratory wing (1973), and a subsequent move to the first floor and basement of the "old" museum building (1981). This newly developed space included expanded collection storage, a darkroom, and a vivarium and it continues to be the main collection and office area, (Figure 4).

Many arachnologists visited the invertebrate department at least once and several spent extended time there. Perhaps the best

known is Arthur M. Chickering, who was a MCZ Research Associate from 1953 to 1971 and deposited his large spider collection at the MCZ. Frequent or long-term visitors, araneological and otherwise, included Giraldo Alayón, Henri André (Acari), Dorothy Berner (Crustacea), James Carico, Terry Christenson, Cay Craig, Edward Cutler (Sipuncula), Ray Forster, Manfred Grasshoff (Cnidaria), Maria Luisa Jimenéz, Gershom Levy, Yael Lubin, Xinjiang Peng, Tila Pérez, Jerzy Proszynski, Robert Raven, Cristina Rheims, Pablo San Martín (Scorpiones), Ai-Yun Tai (Crustacea), Paolo Tongiorgi, Peter van Helsdingen, Andrew Weaver (Copepoda) and Helmut Zibrowius (Cnidaria). Freshman seminar alumni Terry Sedgwick and Sarah Kariko, and Harvard alumnus Dr. Chris Fletcher maintained arachnological connections and long-standing friendships with Herb. Local "friends of the department" included Dr. Rudolf Langer, who collaborated with several students on spider silk projects, and nature photographer Joe Warfel. Occasionally informal lunchtime talks would be presented by visitors; these might be research reports, photo shows, or travelogues. In 1987, the invertebrate zoology department hosted the AAS meeting, with many researchers extending their stays to work in the collections.

Not surprisingly, considering his area of expertise, Herb fielded many inquiries from the public, local hospitals, and public health personnel, and even the Boston Police. A departmental call log was maintained with notes about both the spider story and the human story. When people called believing that they had been bitten by a spider, Herb would hear them out, but he generally believed that these bites came from insects or ticks. "Poisonous" spiders brought into the lab for identification often turned out to be harmless jumping spiders or wolf spiders. Now and then, though, a household spider

would turn out to be a *Cheiracanthium* sac spider, the toxicity of which Herb discussed in a paper cowritten with Harvard School of Public Health researcher Andrew Spielman. Occasionally a caller would bring in a "banana spider" (family Ctenidae, which includes some poisonous species), found in grapes or other produce from Chile. Herb was often interviewed by local newpapers, and occasionally by national publications such as *Yankee Magazine*. He frequently gave local presentations and kept a notebook for public talks with photos of spiders, webs, and a good selection of spider cartoons.

Herb especially enjoyed "talking spiders" with young arachnologists starting out. During his early career he occasionally took undergraduates with him on his shorter field trips. He was generous in encouraging students and always had copies of Spiders and Their Kin and reprints to give away. However, his method of teaching spider identification was strictly hands off. The student would be given a spider and the appropriate key, attempt an identification, then check repeatedly with Herb until the correct determination had been arrived at. Interestingly, in teaching, Herb underemphasized the complicated structures that he illustrated; he thought it was preferable to develop a "gestalt" eyeball-level grasp of the spider as a whole.

Herb had little interest in office politics and just wanted to focus on his work. He was sparing with departmental money: a source of staff amusement was the egg timer kept by the phone as a reminder to keep calls short. He was always careful, precise, and organized. Every item had its place, whether on the collection shelves or in his stationery drawer. Herb always arrived at the MCZ at 6:00 AM or carlier to beat the Boston-area traffic and have quiet time before staff and students arrived. Before the old lead water pipes in Cambridge were replaced, Herb

discouraged everyone from drinking the tap water and always brought in two gallon jugs of water from Pepperell. At lunch the staff was careful not to bring food with onions or garlic, as Herb reportedly had a strong aversion to both. His outward manner could seem stern because of his blunt command of the English language and his famous "untamed" eyebrows. However, he had a sense of humor and enjoyed bringing in funny or interesting items to pass around at lunch: biology-related articles, columns from the New York *Times*, notes and photos from his daughter in Alaska. He would usually provide an update on life in Pepperell and bring in natural items he had found. Herb enjoyed telling stories about early days at the MCZ and about the arachnological world. One oft-told story involved an overzealous researcher who (allegedly) removed and stole spider genitalia from collections while his "beautiful wife" caused a distraction. Other stories involved events at arachnological meetings: a smelly uproar when a group of students skinned salvaged roadkill in a hotel room; apprehension by police while collecting illegally (though unknowingly) on a California beach; the ecologically minded colleague who, infuriated at seeing a bag of trash thrown out of a car window, allegedly picked up the trash, chased the car until it parked, and "returned" the trash to its owners.

CONSERVATION WORK AND INTERESTS

Herb and Lorna were "old fashioned" naturalists with a sense of place and stewardship, (Figure 5). Their work was always intimately tied to a love of nature and the outdoors. In the early 1950s, they began spending summers at the Rocky Mountain Biological Laboratory (RMBL) in Gothic, Colorado. In 1954 the RMBL offered 20-

year leases to researchers, with the proviso that they build or maintain a cabin there (some of these cabins were built on the remains of abandoned miners' shacks). That year Herb and Lorna began work on what is still known as the "Levi cabin." Until 1961, and again in 1969, they spent summers there, collecting around Gothic and on their road trips back and forth. For several years Herb served on board capacities for the RMBL as Secretary (1959-1962), and on the RMBL Committee on Natural Areas. Herb and Lorna also collected in Wyoming and published an inventory of spiders of the Grand Teton and Yellowstone national parks.

Herb and, especially, Lorna, were active in local conservation issues. Herb served as a governor of The Nature Conservancy for several years (1956-1962), and was a founding member of the Massachusetts chapter of The Nature Conservancy. Lorna was involved with several conservation groups in Massachusetts and New Hampshire, including the Nashua River Watershed Association, the Nashoba Land Trust, the Nissitissit Land Trust, and the Beaver Brook Association. In addition to maintaining much of their land as a wildlife sanctuary, they donated several parcels of land to the Nashoba Land Trust and to the Townsend Hill Wildlife Management Area. These areas continue to provide habitat for endangered reptiles and amphibians, the Eastern Bluebird, and the New England Cottontail.

LEGACY

In 2007, Herb was the first recipient of the ISA Eugene Simon Award for Lifetime Achievement. He was an Honorary Life Member of the AAS and the ISA. After his death the AAS established the Herb Levi Memorial Fund for Arachnological Re-



Figure 5. Herb and Lorna Levi at home in Pepperell (photographer, Ardis Johnston).

search with the stated purpose of supporting researchers who receive little or no institutional funding, and especially for pilot research to support future grant applications to other agencies.

Herb was a morphologist and alpha taxonomist in the classical mold. His goal was to produce monographs of broad use to arachnologists, ecologists, naturalists, and students. He felt that the understanding of spiders was not advanced enough for study of higher-level phylogeny. His retirement coincided with the introduction of new methods of illustration and publishing, ideas about character analysis, and the ascendancy of genomics, but his work provided a foundation for the application of these new approaches.

SCIENTIFIC NAMES HONORING HERBERT AND LORNA LEVI

Arachnida: Araneae unless otherwise specified.

Alpaida levii Saturnino, Rodrigues & Bonaldo, 2015. "The specific name is a patronym to honor the late arachnologist Herbert W. Levi, and to recognize his immense contribution to spider taxonomy. His seminal work inspired and will continue to inspire generations of arachnologists."

Agyneta levii Tanasevitch, 1984.

Anisaechıs levii Chickering, 1966.

phonopelma levii Smith, 1995.

Argiope levii Bjørn, 1997.

Argyrodes levii Zhu & Song, 1991.

Ariadna levii Grismado, 2008. "The specific name is a patronym in honour of the eminent arachnologist Herbert W. Levi ... and in recognition of his contributions to arachnology, especially the South American fauna."

Cercidia levii Marusik, 1985.

Chrysometa levii Álvarez-Padilla, 2007.

Clubiona levii Holm, 1960.

Coscinida leviorum Locket, 1968.

Cyrtognatha leviorum Dimitrov & Hormiga, 2009.

Cytaea levii Peng & Li, 2002.

Dubiaranea levii Millidge, 1991.

Echinotheridion levii Ramírez & González, 1999.

Euryopis levii Heimer, 1987.

Eustala levii Poeta, Marques & Buckup, 2010. "O nome específico é uma homenagem ao aracnólogo Herbert W. Levi pela sua enorme contribuição ao conhecimento da família Araneidae."

Huangynania levii Song & Li, 1990.

Kaira levii Alayón, 1993.

Kimula levii Šilhavý, 1969 (Opiliones).

Lupettiana levii Brescovit, 1999.

Mesabolivar levii Huber, 2000.

Metazygia levii Santos, 2003. "The specific name is a patronym in honor of H. W. Levi, in recognition of his contributions to neotropical spider systematics.... The family Araneidae, when compared with other large spider families, is certainly the best known in the neotropics. This privileged situation can be attributed to Herbert W. Levi's excellent revisions."

Micrathena levii Chickering, 1964.

Neozimiris levii Platnick & Shadab, 1976.

Pellenes levii Lowrie & Gertsch, 1955.

Phintella levii Huang, Wang & Peng, 2015.

Phlegra levis Próchniewicz & Heciak, 1994.

Pholcophora levii Gertsch, 1982.

Phoroncidia levii Chrysanthus, 1963.

Phoroncidia roseleviorum Kariko, 2014.

Phrynus levii Quintero, 1981 (Amblypygi).

Pseudocleobis levii Maury, 1980 (Solpugida).

Scotinotylus levii Marusik, 1988.

Selenops levii Corronca, 1997.

Tetragnatha levii Okuma, 1992.

Theridion leviorum Gertsch & Riechert, 1976.

Thymoites levii Gruia, 1973.

Tidarren levii Schmidt, 1957.

Tmarus levii Chickering, 1965.

Tubaphe levii Causey, 1954 (Diplopoda).

Verrucosa levii Lise, Kesster & da Silva, 2015.

Wagneriana levii Pinto-da-Rocha & Buckup, 1995

Levina Zapfe, 1963 (gen. nov.). Leviola Miller, 1970 (gen. nov.).

ACKNOWLEDGMENTS

Written sources include MCZ Annual Reports housed in the Ernst Mayr Library, Invertebrate Department records, and two unpublished memoirs written by Herb: one about his life and one about his early career at the MCZ. Primary among personal sources was Frances Levi, who provided recollections of growing up at the MCZ, copies of the memoirs, and information

about Herb and Lorna's conservation work. Former Curatorial Associate Ardis Johnston and Harvard alumna Sarah Kariko added information and read parts of the manuscript in preliminary form. Librarians Mary Sears and Robert Young of the Ernst Mayr Library provided access to materials used herein and at a celebration of Herb and Lorna's lives held at the Mayr Library in May 2015. Ian Billick, Gesa Michel, and Samantha Siegfried of the RMBL, as well as the current renters of the "Levi Cabin," provided information and photos. Finally, Professor Gonzalo Giribet, MCZ Curator of Invertebrate Zoology, and Curatorial Associate Adam Baldinger were instrumental in formalizing the final manuscript.

Thank you to the *Breviora* Editor and three reviewers of the manuscript.

Because of the availability of materials, this biography concentrates on the later years of Herb's career. Apologies are extended for important events neglected and to any individuals who should have been included in this history or acknowledgments.

SELECTED SOURCES

- 1. Anonymous. Alexander Agassiz Professors Appointed: Professor Herbert Walter Levi. *MCZ Newsletter*, June 1972, **1(3)**: 2.
- 2. Anonymous. Congratulations to the Grads of 1992. *OEBserver*, July 1992, 5(6): 1, 6.
- 3. Anonymous. Introducing the new MCZ Laboratories—from top to bottom. *MCZ Newsletter*, Spring 1973, **2(3)**: 1–5.
- 4. Anonymous. Invertebrates find a new home. *MCZ Newsletter*, Spring 1981, 10(2): 1, 4.
- 5. Anonymous. Much better behaved than her southern sisters: Northern black widow is quite a lady, U. man finds. (Madison Times?).
- 6. Anonymous. Professor Levi studies spiders in New Guinea. MCZ Newsletter, Fall 1979, 9(1): 7.
- 7. Anonymous. Science: Spider colony. *Time*. Dec. 29, 1961: 26.
- 8. Anonymous. Spider webs: Visible manifestations of behavior. *MCZ Newsletter*, Winter 1976, **5(2)**: 2
- 9. Anonymous. Student spider studies. *MCZ Newsletter*, Spring 1981, **10(2):** 5.

- 10. Anonymous. Visitors... from New Haven...and New Zealand. MCZ Newsletter, Fall 1976, 6(1): 2.
- 11. CROKE, V. Animal beat: A field guide to spiders in the house. *The Boston Globe*. 29 May 1999: F1, F8.
- 12. Dube, R. Horizons: Spiders are his specialty. *The Telegraph* (Nashua, NH). 15 Nov. 1982: 27.
- 13. FASTENBERG, A. At work: Herbert W. Levi, spiders Harvard Crimson. 9 June 1983: B5, B7.
- 14. HITTNER, P. E. Quips, quotes & queries: The spiderman of Pepperell. *Yaukee*, August 1987: 19–20
- 15. HOPKINS, H. Patterns of a life in science: Herbert W. Levi. MCZ Newsletter. Spring, 1986, 16(2): 2, 4.
- 16. LORD, R. Web of mystery: Did island researcher discover a new species of black widow? *Cape Cod Times*. Sept. 30, 2007, 46 (39): A1, A6.
- 17. Montgomery, S. Nature journal: The tales that spiders weave. *The Bostou Globe*. 8 July 1981: 27–28.
- 18. SEDGWICK, J. The undergraduate: How do you get an arachnid to spit? *Harvard Magazine*. Dec. 1975: 16F–16H.
- Vogel, B. A history of the American Arachnological Society, 1900–1975. http://www.americanarachnology. org/about_AAS/history.html

PUBLICATIONS OF HERBERT W. LEVI

Compiled from: The World Spider Catalog (2015), version 16.5, Natural History Museum Bern, online at http://wsc.nmbe.ch/; accessed 21 November 2015; Zoological Record/ Web of Science, referenced via Harvard University 'Hollis' Library system, accessed 21 November 2015.

- Berman, J. D., and H. W. Levi. 1971. The orb-weaver genus *Neoscona* in North America (Araneae: Araneidae). *Bnlletiu of the Mnsenm of Comparative Zoology* **141(8):** 465–500.
- Calixto, A., and H. W. Levi. 2006. Notes on the natural history of *Aspidolasius branicki* (Araneae: Araneidae) at Tinigua National Park, Colombia, with a revision of the genus. *Bulletin of the British Arachnological Society* **13:** 314–320.
- Coddington, J. A., and H. W. Levi. 1991. Systematics and evolution of spiders (Araneae). *Annual Review of Ecology and Systematics* 22: 565–592.
- Dondale, C. D., J. H. Redner, P. Paquin, and H. W. Levi. 2003. The Insects and Aracluids of Canada. Part 23. The Orb-Weaving Spiders of Canada and Alaska (Araneae: Uloboridae, Tetragnathidae, Araneidae, Theridiosomatidae). Ottawa, NRC Research Press.

- Eberhard, W. G., and H. W. Levi. 1969. Book Review, A Spider's Web: Problems in Regulatory Biology. Science 164: 941–942.
- Eberhard, W. G., and H. W. Levi. 2006. Camouflage and chemical defence in a bolas spider, *Mastophora caesariata* sp. n. (Araneae, Araneidae). *Bulletin of the British Arachnological Society* **13:** 337–340.
- Exline, H. G., and H. W. Levi. 1962. American spiders of the genus *Argyrodes* (Araneae, Theridiidae). *Bulletin of the Museum of Comparative Zoology* 127: 75–204.
- Exline, H. G., and H. W. Levi. 1965. The spider genus Synotaxus (Araneae, Theridiidae). Transactions of the American Microscopical Society 84(2): 177–184.
- Fowler, H. G., and H. W. Levi. 1979. A new quasisocial *Anelosimus* spider (Araneae, Theridiidae) from Paraguay. *Psyche* **86(1)**: 11–18.
- Framenau, V. W., N. Scharff, and H. W. Levi. 2009. Not from "down under": New synonymies and combinations for orb-weaving spiders (Araneae: Araneidae) erroneously reported from Australia. *Zootaxa* 2073: 22–30.
- Han, G. X., M. S. Zhu, and H. W. Levi. 2009. On two rare south-east Asian araneid genera: *Deione* and *Talthybia* (Araneae: Araneidae). *Zootaxa* **2297:** 55–63.
- Harrod, J. C., H. W. Levi, and L. B. Leibensperger. 1990. The Neotropical orbweavers of the genus *Larinia* (Araneae: Araneidae). *Psyche* 97(3–4): 241–265.
- Kuntner, M., and H. W. Levi. 2007. *Nephila hirta*, a new synonym of *Eustala fuscovittata* (Araneae, Araneidae). *Journal of Arachnology* **34:** 444–447.
- Platnick, N., and H. W. Levi. 1973. On family names of spiders. *Bulletin of the British Arachuological Society* **2(8):** 166–167.
- Shear, W. A., and H. W. Levi. 1970. Cleaning museum specimens of spiders and myriapods with ultrasonics. *Bulletin of the British Arachnological Society* **1(8):** 117.
- Spielman, A., and H. W. Levi. 1970. Probable envenomation by *Chiracauthium mildei*; a spider found in houses. *American Journal of Tropical Medicine and Hygiene* **19(4)**: 729–732.
- Stockwell, S. A., and H. W. Levi. 1989. Case 2637. Buthus vittatus (currently Centruroides vittatus; Arachnida, Scorpionida): Proposed recognition of Wood (1863) as the author of the specific name and designation of a neotype, and Centrurus hentzi (currently Centruroides hentzi) Banks, 1904: Proposed conservation of the specific name. Bulletin of Zoological Nomenclature 46(4): 233–235.

- Levi, H. W. 1946. Preservation of biological specimens with Clarite X. *Science* **103(2667):** 175.
- Levi, H. W. 1948. Notes on the life history of the pseudoscorpion *Chelifer cancroides* (Linn.) (Chelonethida). *Transactions of the American Microscopical Society* 67(3): 290–298.
- Levi, H. W. 1949. Two new species of cave isopods from Pennsylvania. *Notulae Naturae*, **220**: 1–6.
- Levi, H. W. 1951. New and rare spiders from Wisconsin and adjacent states. *American Museum Novitates* **1501:** 1–41.
- Levi, H. W. 1952. Review, *Die Problematik der Heckenlandschaft* (Fencerow problems). *Journal of Wildlife Management* **16(2)**: 220–221.
- Levi, H. W. 1953. New and rare *Dipoena* from Mexico and Central America (Araneae, Theridiidae). *American Museum Novitates* **1639**: 1–11.
- Levi, H. W. 1953. Observations on two species of pseudoscorpions. *Canadian Entomologist* **85:** 55–62.
- Levi, H. W. 1953. Spiders of the genus *Dipoeua* from America north of Mexico (Araneae, Theridiidae). *American Museum Novitates* **1647:** 1–39.
- Levi, H. W. 1954. Spiders of the genus *Euryopis* from North and Central America (Araneae, Theridiidae). *American Museum Novitates* **1666**: 1–48.
- Levi, H. W. 1954. Spiders of the new genus *Theridiotis* (Araneae: Theridiidae). *Transactions of the American Microscopical Society* **73(2):** 177–189.
- Levi, H. W. 1954. The spider genus *Theridula* in North and Central America and the West Indies (Araneae: Theridiidae). *Transactions of the American Microscopical Society* **73(4)**: 331–343.
- Levi, H. W. 1955. The spider genera *Coressa* and *Achaearanea* in America north of Mexico (Araneae, Theridiidae). *American Museum Novitates* **1718**: 1–33.
- Levi, H. W. 1955. The spider genera *Episinus* and *Spintharus* from North America, Central America and the West Indies (Araneae: Theridiidae). *Journal of the New York Entomological Society* **62:** 65–90.
- Levi, H. W. 1955. The spider genera *Oronota* and *Stenunops* in North America, Central America and the West Indies (Araneae: Theridiidae). *Anuals of the Entomological Society of America* **48:** 333–342.
- Levi, H. W. 1956. Proposed use of the plenary powers to preserve the accustomed usage of the generic names *Theridion* Walckenaer, 1805 and *Enoplognatha* Pavesi, 1880 (Class Arachnida, Order Arancae). *Bulletin of Zoological Nomenclature* 12: 27–30.
- Levi, H. W. 1956. The spider genera *Neottiura* and *Anelosimus* in America (Araneae: Theridiidae). *Trans*-

- actions of the American Microscopical Society **75:** 407–422.
- Levi, H. W. 1956. The spider genus *Mysmena* in the Americas (Araneae, Theridiidae). *American Museum Novitates* 1801: 1–13.
- Levi, H. W. 1957. Spiders of the new genus *Arctachaea* (Araneae, Theridiidae). *Psyche* **64(3)**: 102–106.
- Levi, H. W. 1957. The North American spider genera Paratheridula, Tekellina, Pholoomma and Archerius (Araneae: Theridiidae). Transactions of the American Microscopical Society 76: 105–115.
- Levi, H. W. 1957. The spider genera *Chrysso* and *Tidarren* in America. *Journal of the New York Entomological Society* **63:** 59–81.
- Levi, H. W. 1957. The spider genera *Crustulina* and *Steatoda* in North America, Central America, and the West Indies (Araneae, Theridiidae). *Bulletin of the Museum of Comparative Zoology* **117:** 367–424.
- Levi, H. W. 1957. The spider genera *Enoplognatha*, *Theridion*, and *Paidisca* in America north of Mexico (Araneae, Theridiidae). *Bulletin of the American Museum of Natural History* 112: 1–124.
- Levi, H. W. 1958. Number of species of black-widow spiders (Theridiidae: *Latrodectus*). *Science* **127(3305)**: 1055.
- Levi, H. W. 1959. Problems in the spider genus *Steatoda* (Theridiidae). *Systematic Zoology* **8(3):** 107–116.
- Levi, H. W. 1959. The spider genera *Achaearanea*, *Theridion* and *Sphyrotinus* from Mexico, Central America and the West Indies (Araneae, Theridiidae). *Bulletin of the Museum of Comparative Zoology* 121(3): 57–163.
- Levi, H. W. 1959. The spider genus *Coleosoma* (Araneae, Theridiidae). *Breviora*, *Museum of Comparative Zoology* 110: 1–8.
- Levi, H. W. 1959. The spider genus *Latrodectus* (Araneae, Theridiidae). *Transactions of the American Microscopical Society* **78:** 7–43.
- Levi, H. W. 1960. The spider genus *Styposis* (Araneae, Theridiidae). *Psyche* **66(1–2):** 13–19.
- Levi, H. W. 1961. Evolutionary trends in the development of palpal sclerites in the spider family Theridiidae. *Journal of Morphology* **108:** 1–10.
- Levi, H. W. 1962. Argyrodes Simon, Dipoenura Simon, Robertus O. Pickard-Cambridge and Theonoe Simon (Arachnida, Araneae): proposed preservation under the plenary powers. Z.N.(S.) 1481. Bulletin of Zoological Nomenclature 19: 43–47.
- Levi, H. W. 1962. More American spiders of the genus *Chrysso* (Araneae, Theridiidae). *Psyche* **69:** 209–237.

- Levi, H. W. 1962. The spider genera *Steatoda* and *Enoplognatha* in America (Araneae, Theridiidae). *Psyche* **69:** 11–36.
- Levi, H. W. 1963. American spiders of the genus *Achaearanea* and the new genus *Echinotheridion* (Araneae, Theridiidae). *Bulletin of the Museum of Comparative Zoology* 129(3): 187–240.
- Levi, H. W. 1963. American spiders of the genera *Audifia, Euryopis* and *Dipoena* (Araneae: Theridiidae). *Bulletin of the Museum of Comparative Zoology* 129(2): 121–185.
- Levi, H. W. 1963. American spiders of the genus *Theridion* (Araneae, Theridiidae). *Bulletin of the Museum of Comparative Zoology* **129(10):** 481–589.
- Levi, H. W. 1963. The American spider genera *Spintharus* and *Thwaitesia*. *Psyche* **70(4)**: 223–234.
- Levi, H. W. 1963. The American spiders of the genus *Anelosimus* (Araneae, Theridiidae). *Transactions of the American Microscopical Society* **82(1):** 30–48.
- Levi, H. W. 1963. The spider genera *Cerocida*, *Hetschkia*, *Wirada* and *Craspedisia* (Araneae: Therididae). *Psyche* **70(3):** 170–179.
- Levi, H. W. 1964. American spiders of the genus *Episinus* (Araneae: Theridiidae). *Bulletin of the Museum of Comparative Zoology* 131(1): 1–25.
- Levi, H. W. 1964. American spiders of the genus *Phoroncidia* (Araneae: Theridiidae). *Bulletin of the Museum of Comparative Zoology* **131(3):** 65–86.
- Levi, H. W. 1964. Nineteenth century South American araneology. *Papéis Avulsos do Departamentao de Zoologia, Sao Paulo* **16(1):** 9–19.
- Levi, H. W. 1964. Redescription of the type species of the spider genera *Artonis*, *Chorizopes* and *Mecynidis* (Araneae: Araneidae and Linyphiidae). *Annals of the Natal Museum* **16:** 209–214.
- Levi, H. W. 1964. The American spiders of the genera *Styposis* and *Pholcomma* (Araneae, Theridiidae). *Psyche* 71(1): 32–39.
- Levi, H. W. 1964. The spider genera *Stemmops*, *Chrosiothes*, and the new genus *Cabello* from America. *Psyche* **71(2)**: 73–92.
- Levi, H. W. 1964. The spider genus *Helvibis* (Araneae, Theridiidae). *Transactions of the American Microscopical Society* **83(2):** 133–142.
- Levi, H. W. 1964. The spider genus *Thymoites* in America (Araneae: Theridiidae). *Bulletin of the Museum of Comparative Zoology* 130(7): 445–471.
- Levi, H. W. 1965. Techniques for the study of spider genitalia. *Psyche* **72(2)**: 152–158.
- Levi, H. W. 1965. An unusual case of mimicry. *Evolution* **19(2):** 261–162.

- Levi, H.W. 1966. American spider genera *Theridula* and *Paratheridula* (Araneae: Theridiidae). *Psyche* **73(2)**: 123–130.
- Levi, H. W. 1966. Review, The Crab Spiders of California (Araneida, Thomisidae). Bulletin of the American Museum of Natural HistoryQuarterly Review of Biology 40(3): 328.
- Levi, H. W. 1966. The care of alcoholic collections of small invertebrates. *Systematic Zoology* **15(3):** 183–188.
- Levi, H. W. 1966. The three species of *Latrodectus* (Araneae), found in Israel. *Journal of Zoology*, *London* **150**: 427–432.
- Levi, H. W. 1967. Adaptations of respiratory systems of spiders. *Evolution* **21(3)**: 571–583.
- Levi, H. W. 1967. Cosmopolitan and pantropical species of theridiid spiders (Araneae: Theridiidae). *Pacific Insects* **9(2)**: 175–186.
- Levi, H. W. 1967. Habitat observations, records, and new South American theridiid spiders (Araneae, Theridiidae). *Bulletin of the Museum of Comparative Zoology* **136(2):** 21–38.
- Levi, H. W. 1967. Predatory and sexual behavior of the spider *Sicarius* (Araneae: Sicariidae). *Psyche* **74(4)**: 320–330.
- Levi, H. W. 1967. The spider genus *Billima* Simon. *Psyche* **74(4)**: 340–341.
- Levi, H. W. 1967. The theridiid spider fauna of Chile. *Bulletin of the Museum of Comparative Zoology* **136(1):** 1–20.
- Levi, H. W. 1968. *Liphistius* Schiodte, 1849 (Araneae):
 Proposed validation under the plenary powers. Z.N.
 (S.) 1828. *Bulletin of Zoological Nomenclature* 24(6): 359.
- Levi, H. W. 1968. Book Review, *Animal toxins: Papers presented at the First International Symposium Science* **159:** 728.
- Levi, H. W. 1968. The name of the horseshoe crab is *Limulus. Turtox News* **46(6):** 183.
- Levi, H. W. 1968. The spider family Hadrotarsidae and the genus *Hadrotarsns*. *Transactions of the American Microscopical Society* **87(2)**: 141–145.
- Levi, H. W. 1968. The spider genera *Gea* and *Argiope* in America (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **136(9):** 319–352.
- Levi, H. W. 1969. Notes on American theridiid spiders. *Psyche* **76(1):** 68–73.
- Levi, H. W. 1970. Argiope Audouin, 1826 (Arachnida: Araneae): Proposed preservation under plenary powers. Z.N. (S.) 1798. Bulletin of Zoological Nomenclature 27: 200–201.

- Levi, H. W. 1970. Essential accumulations. Review, Natural History Collections. Past, Present, Future. A symposium. Washington D.C. Oct. 1968. Science 168:726.
- Levi, H. W. 1970. Problems in the reproductive physiology of the spider palpus. *Bulletin du Muséum National d'Histoire Naturelle de Paris* **41**(Suppl. 1): 108–111.
- Levi, H. W. 1970. The *ravilla* group of the orbweaver genus *Eriophora* in North America (Araneae: Araneidae). *Psyche* 77(3): 280–302.
- Levi, H. W. 1971. In memoriam. Alfred Kaestner (1901–1971). *Transactions of the American Microscopical Society* **90:** 391.
- Levi, H. W. 1971. The *diadematus* group of the orbweaver genus *Araneus* north of Mexico (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **141(4):** 131–179.
- Levi, H. W. 1972. In memoriam: Lother Glatz, 2 Sept. 1940–1 Sept. 1971. *American Arachnology* 7: 10–11.
- Levi, H. W. 1972. Observations on the reproductive physiology of the spider *Singa* (Araneidae). Arachnologorum Congressus Internationalis V, Proceedings of the Fifth International Congress on Arachnology. Fauna Hungarica **109**: 189–192.
- Levi, H. W. 1972. Taxonomic–nomenclatural notes on misplaced theridiid spiders (Araneae: Theridiidae), with observations on *Anelosimus*. *Transactions of the American Microscopical Society* **91(4):** 533–538.
- Levi, H. W. 1972. The fate of the "common spiders". *American Arachnology* 7: 5–6.
- Levi, H. W. 1973. Book Review, New Zealand Spiders: An Introduction. Natural History 82(7): 92–94.
- Levi, H. W. 1973. Small orb-weavers of the genus *Araneus* north of Mexico (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **145(9):** 473–552.
- Levi, H. W. 1974. The orb-weaver genera *Araniella* and *Nuctenea* (Araneae: Araneidae). *Bulletin of the Muse-um of Comparative Zoology* **146(6):** 291–316.
- Levi, H. W. 1974. The orb-weaver genus *Zygiella* (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **146(5)**: 267–290.
- Levi, H. W. 1975. Additional notes on the orb-weaver genera *Araneus*, *Hypsosinga* and *Singa* north of Mexico (Araneae, Araneidae). *Psyche* **82(2)**: 265–274.
- Levi, H. W. 1975. Description of the female of the spider *Pholcomma carota* (Arachnida: Araneae, Theridiidae). *Transactions of the American Microscopical Society* **94(2):** 281–282.
- Levi, H. W. 1975. In memoriam: Arthur M. Chickering, 1887–1974. *Transactions of the American Microscopical Society* **94(2)**: 268–272.

- Levi, H. W. 1975. Mating behavior and presence of embolus cap in male Araneidae. Proceedings of the 6th International Arachnological Congress, 1974. pp. 49–50.
- Levi, H. W. 1975. The American orb-weaver genera *Larinia*, *Cercidia* and *Maugora* north of Mexico (Araneae, Araneidae). *Bulletin of the Museum of Comparative Zoology* **147(3)**: 101–135.
- Levi, H. W. 1976. In memoriam: Elisabeth Deichmann (1896–1975). *Bulletin of Marine Science* **26(2)**: 281–283.
- Levi, H. W. 1976. Nomenclatural note on Argiope Audoiun. Bulletin of the British Arachnological Society 3(7): 188.
- Levi, H. W. 1976. The orb-weaver genera *Verrucosa*, *Acanthepeira*, *Wagneriana*, *Acacesia*, *Wixia*, *Scoloderus* and *Alpaida* north of Mexico. *Bulletin of the Museum of Comparative Zoology* **147(8)**: 351–391.
- Levi, H. W. 1977. Caught in the intrigue of spider webs. *Science Teacher* **44(1):** 16–19.
- Levi, H. W. 1977. Oh, what a tangled web. *Science Digest* Sept. 1977: 62–64.
- Levi, H. W. 1977. The American orb-weaver genera *Cyclosa*, *Metazygia* and *Eustala* north of Mexico (Araneae, Araneidae). *Bulletin of the Museum of Comparative Zoology* **148(3):** 61–127.
- Levi, H. W. 1977. The orb-weaver genera *Metepeira*, *Kaira* and *Aculepeira* in America north of Mexico (Araneae, Araneidae). *Bulletin of the Museum of Comparative Zoology* **148(5):** 185–238.
- Levi, H. W. 1978. A note on Walckenaer's names. *Peckhamia* **1(4)**: 55.
- Levi, H. W. 1978. Orb-weaving spiders and their webs. *American Scientist* **66(6):** 734–742.
- Levi, H. W. 1978. Orb-webs and phylogeny of orb-weavers. *Symposia of the Zoological Society of London* **42:** 1–15.
- Levi, H. W. 1978. Secondary eyes of spiders as a systematic character. *American Arachnology* (Supplement) 18: 15.
- Levi, H. W. 1978. The American orb-weaver genera *Colphepeira*, *Micratheua* and *Gasteracantha* north of Mexico (Araneae, Araneidae). *Bulletiu of the Museum of Comparative Zoology* **148(9):** 417–442.
- Levi, H. W. 1980. Orb webs: Primitive or specialized, pp. 367–370. *In* Wien, 8. Internationaler Arachnologen-Kongress.
- Levi, H. W. 1980. The male of *Echinotheridion* (Araneae: Theridiidae). *Psyche* **87(3–4):** 177–179.
- Levi, H. W. 1980. The orb-weaver genus *Mecynogea*, the subfamily Metinae and the genera *Pachygnatha*,

- Glenognatha and Azilia of the subfamily Tetragnathinae north of Mexico (Araneae: Araneidae). Bulletin of the Museum of Comparative Zoology 149(1): 1–74.
- Levi, H. W. 1980. Two new spiders of the genera *Theridion* and *Achaearanea* from North America. *Transactions of the American Microscopical Society* **99(3):** 334–337.
- Levi, H. W. 1981. More on the genus Araneus from North America. Bulletin of the American Museum of Natural History 170(1): 254–256.
- Levi, H. W. 1981. The American orb-weaver genera *Dolichognatha* and *Tetragnatha* north of Mexico (Araneae: Araneidae, Tetragnathinae). *Bulletin of the Museum of Comparative Zoology* **149(5):** 271–318.
- Levi, H. W. 1982d. A narrow view of horseshoe crabs. Book Review, *Physiology and Biology of Horseshoe* Crabs: Studies on Normal and Environmentally Stressed Animals.Cell 31(1): 2–3.
- Levi, H. W. 1982. Arthropoda, Chelicerata, Merostomata, Araclinida, Uropygi, Schizomida, Amblypygi, Paplpigradi, Araneae, Ricinulei, Uniramia, pp. 71–96. In S. P. Parker ed. Synopsis and Classification of Living Organisms. New York, McGraw–Hill.
- Levi, H. W. 1982. Problems in black widow taxonomy. *American Araclinology* (Supplement)**26:** 9.
- Levi, H. W. 1982. Book Review, *Biology of Spiders*. *American Scientist* **70**: 650.
- Levi, H. W. 1982. Book Review, Spider Communication: Mechanisms and Ecological Significance. American Scientist 70: 650.
- Levi, H. W. 1982. The spider genera *Psechrus* and *Fecenia* (Araneae: Psechridae). *Pacific Insects* **24(2)**: 114–138.
- Levi, H. W. 1983. On the value of genitalic structures and coloration in separating species of widow spiders (*Latrodectus* sp.) (Arachnida: Araneae: Theridiidae). *Verlandlungen Des Naturwissenschaftlichen Vereins Hamburg (NF)* **26:** 195–200.
- Levi, H. W. 1983. Book Review, Aquatic Biota of Mexico, Central America and the West Indies. Transactions of the American Microscopical Society 102(2): 183–184.
- Levi, H. W. 1983. Review, Stanumesgeschichte der Gliedertiere. Transactions of the American Microscopical Society 102(1): 95–96.
- Levi, H. W. 1983. The orb-weaver genera *Argiope*. *Gea*, and *Neogea* from the western Pacific region (Araneae: Araneidae, Argiopinae). *Bulletin of the Museum of Comparative Zoology* **150(5)**: 247–338.
- Levi, H. W. 1983. Where is it? *American Araclmology* **28:** 19–20.

- Levi, H. W. 1984. Another new orb-weaver of the genus *Argiope* from New Guinea (Araneae, Araneidae). *Dentsche Entomologische Zeitschrift (NF)* 31(4–5): 249–251.
- Levi, H. W. 1985. Argyrodes Simon, 1864, and Robertus
 O. Pickard-Cambridge, 1879, (Arachnida, Araneae): proposed conservation by the suppression of Argyrodes Guénée, 1845 and Ctenium Menge, 1871. Z.N.
 (S.) 1481. Bulletin of Zoological Nomenclature 42(1): 81–84.
- Levi, H. W. 1985. The spiny orb-weaver genera *Micrathena* and *Chaetacis* (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **150(8):** 429–618.
- Levi, H. W. 1986. Ant-mimicking orb weavers of the genus *Ildibaha*. *Proceedings of the IX International Arachnological Congress*, *Panama*. pp. 156–162.
- Levi, H. W. 1986. The Neotropical orb-weaver genera *Chrysometa* and *Homalometa* (Araneae: Tetragnathidae). *Bulletin of the Museum of Comparative Zoology* **151(3):** 91–215.
- Levi, H. W. 1986. The orb-weaver genus *Witica* (Araneae: Araneidae). *Psyche* **93(1–2):** 35–46.
- Levi, H. W. 1987. Comments on arachnid nomenclature. *American Araclmology* **35:** 6–7.
- Levi, H. W. 1988. The neotropical orb-weaving spiders of the genus *Alpaida* (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **151(7):** 365–487.
- Levi, H. W. 1988. Book Review, Spiders: Webs, Behavior, and Evolution.. Quarterly Review of Biology 63: 123–124.
- Levi, H.W. 1988. Book Review, *The Spiders of Great Britain and Ireland. Vol. 2 (Linyphiidae). Journal of Arachnology* **16:** 136–147.
- Levi, H. W. 1989. Case 2662. *Aphonopelma* Pocock, 1901 (Arachnida, Araneae): Proposed precedence over *Rhechostica* Simon, 1892. *Bulletin of Zoological Nomenclature* **46(3):** 165–166.
- Levi, H. W. 1989. Experiments with spider preservatives. *American Araclmology* **39:** 6–7.
- Levi, H. W. 1989. The Neotropical orb-weaver genera *Epeiroides, Bertrana* and *Amazonepeira* (Araneae: Araneidae). *Psyche* **96(1–2):** 75–99.
- Levi, H. W. 1991. The American species of the orbweaver genus *Carepalxis* and the new genus *Rnbrepeira* (Araneae: Araneidae). *Psyche* **98(2–3):** 251–264.
- Levi, H. W. 1991. The Neotropical and Mexican species of the orb-weaver genera *Araneus*, *Dubiepeira*, and *Aculepeira* (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **152(4)**: 167–315.

- Levi, H. W. 1991. The Neotropical orb-weaver genera *Edricus* and *Wagneriana* (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **152(6)**: 363–415.
- Levi, H. W. 1992. American *Neoscona* and corrections to previous revisions of Neotropical orb-weavers (Araneae: Araneidae). *Psyche* 99(2-3): 221–239.
- Levi, H.W. 1992. Book Review, Martin Lister's English Spiders, 1678. Journal of Arachnology 20: 227–228.
- Levi, H. W. 1992. Spiders of the orb-weaver genus *Parawixia* in America (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **153**: 1–46.
- Levi, H. W. 1993. The Neotropical orb-weaving spiders of the genera *Wixia*, *Pozonia*, and *Ocrepeira* (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **153(2):** 47–141.
- Levi, H. W. 1993. The new orb-weaver genus *Lewisepeira* (Araneae: Araneidae). *Psyche* **100(3–4):** 127–136.
- Levi, H. W. 1993. The orb-weaver genus *Kaira* (Araneae: Araneidae). *Jomnal of Araclmology* **21:** 209–225.
- Levi, H. W. 1994. Heinrich Homann, 1894–1993. *Journal of Araclinology* **22:** 87–88.
- Levi, H. W. 1994. New species of *Bertrana* and *Amazonepeira*, orb-weaving spiders from the neotropics (Araneae: Araneidae). *Transactions of the American Microscopical Society* 113(5): 229–241.
- Levi, H. W. 1995. The Neotropical orb-weaver genus *Metazygia* (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **154(2):** 63–151.
- Levi, H. W. 1995. Orb-weaving spiders *Actinosoma*, *Spilasma*, *Micrepeira*, *Pronous*, and four new genera (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **154(3)**: 153–213.
- Levi, H. W. 1996. The American orb weavers *Hypognatha*, *Encyosaccus*, *Xylethrns*, *Gasteracantha*, and *Enacrosoma* (Araneae, Araneidae). *Bulletin of the Mnsemn of Comparative Zoology* **155(3)**: 89–157.
- Levi, H. W. 1996. The genus *Taczanowskia* of the orbweaver spider family Araneidae (Araneae). *Anales del Instituto Biológico de la Universidad Nacional Autónoma de México*, *Serie Zoologia* **67:** 183–195.
- Levi, H. W. 1997. Book Review, Lehrbuch der Speziellen Zoologie, Wirbellose Tiere, part 4, Arthropoda (ohne Insecta). American Arachnology 55: 11.
- Levi, H. W. 1997. The American orb weavers of the genera *Mecynogea*, *Manogea*, *Kapogea* and *Cyrtophora* (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **155(5)**: 215–255.
- Levi, H. W. 1999. The Neotropical and Mexican orb weavers of the genera *Cyclosa* and *Allocyclosa* (Araneae: Arancidae). *Bulletin of the Museum of Comparative Zoology* **155(7):** 299–379.

- Levi, H. W. 2001. The orbweavers of the genera *Molinaranea* and *Nicolepeira*, a new species of *Parawixia*, and comments on orb weavers of temperate South America (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **155(9):** 445–475.
- Levi, H. W. 2002. Keys to the genera of araneid orbweavers (Araneae, Araneidae) of the Americas. *Journal of Arachnology* **30**: 527–562.
- Levi, H. W. 2003. The bolas spiders of the genus *Mastophora* (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **157:** 309–382.
- Levi, H. W. 2004. Comments and new records for the American genera *Gea* and *Argiope* with the description of new species (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **158(2):** 47–65.
- Levi, H. W. 2005. Identity and placement of species of the orb weaver genus *Alcinosphenus* (Araneae, Tetragnathidae). *Journal of Arachnology* 33: 753–757.
- Levi, H. W. 2005. The orb-weaver genus *Mangora* of Mexico, Central America, and the West Indies (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* **158:** 139–182.
- Levi, H. W. 2005. The spider genera *Heterognatha*, *Testudinaria* and *Ursa* in South America (Araneae: Araneoidea). *Bulletin of the British Arachnological Society* **13:** 185–198.
- Levi, H. W. 2006. A new *Mastophora* from Argentina and the male of *Mastophora vaquera* (Araneae, Araneidae). *Journal of Arachnology* **34:** 244–246.
- Levi, H. W. 2007. The orb weaver genus *Mangora* in South America (Araneae, Araneidae). *Bulletin of the Museum of Comparative Zoology* **159:** 1–144.
- Levi, H. W. 2008. On the tetragnathid genera *Alcimosphenus*, *Leucauge*, *Mecynometa* and *Opas* (Araneae, Tetragnathidae). *Journal of Arachnology* **36**: 167–170.
- Levi, H. W. 2008. Replacement names for two orbweaving spiders (Araneae, Araneidae, *Araneus*). *Journal of Arachnology* **35:** 561.
- Levi, H. W. 2008. The South American genus *Spintharidius* (Araneae, Araneidae). *Journal of Arachnology* **36:** 216–217.
- Levi, H. W. 2009. A new araneid genus from the Galapagos Islands (Araneae: Araneidae). *Contributions to Natural History* **12:** 893–898.
- Levi, H. W., and J. Coddington. 1983. Progress report on the phylogeny of the orb-weaving family Araneidae and the superfamily Araneoidea (Arachnida: Araneae) (Abstract). Verhandlungen des Naturwissenschaftlichen. Vereins Hamburg (NF) 26: 151–154.
- Levi, H. W., and C. D. Dondale. 1968. Meetings: Arachnology. *Science* **161(3845):** 1033.

- Levi, H. W., and V. R. D. von Eickstedt. 1989. The Nephilinae spiders of the neotropics. *Memórias do Instituto Butantan* 51(2): 43–56.
- Levi, H. W., and H. M. Field. 1954. The spiders of Wisconsin. *American Midland Naturalist* **51(2):** 440–467.
- Levi, H. W., and W. M. Kirber. 1976. On the evolution of tracheae in arachnids. *Bulletin of the British Arachnological Society* **3(7)**: 187–188.
- Levi, H. W., and O. Kraus. 1964. *Amaurobius* C.L. Koch, 1837 and *Coelotes* Blackwall, 1841 (Arachnida, Araneae): Proposed preservation under the plenary powers. Z.N. (S.) 1625. *Bulletin of Zoological Nomenclature* 21(2): 150–153.
- Levi, H. W., and O. Kraus. 1965. Supplement to the application concerning the validation of *Amaurobius* C. L. Koch and *Coelotes* Blackwall Z.N. (S.) 1625 (see **21**: 150–153). *Bulletin of Zoological Nomenclature* **22**: 140–141.
- Levi, H. W., and O. Kraus. 1966. *Amaucobius* proposals: Comment on the alternative proposals made by Fr. Chrysanthus. Z.N. (S) 1625. *Bulletin of Zoological Nomenclature* 23: 82.
- Levi, H. W., and O. Kraus. 1969. Case 2662: *Aphonopelina* Pocock, 1901 (Arachnida, Araneae): Proposed precedence over *Rhechostica* Simon, 1892. *Bulletin of Zoological Nomenclature* **46(3):** 165–166.
- Levi, H. W., and O. Kraus. 1990. Reply to a comment on the proposed precedence of *Aphonopelma* Pocock, 1901 (Arachnida, Araneae) over *Rhechostica* Simon, 1892. *Bulletia of Zoological Nomenclature* **47(3):** 211.
- Levi, H. W., L. B. Leibensperger, P. Hillyard, and J. Heurtault. 1992. Handwriting samples. *Arachnologia* (C1DA) 9: 17–33.
- Levi, H. W., and L. R. Levi. 1951. Report on a collection of spiders and harvestmen from Wyoming and neighboring states. *Zoologica, Scientific Contributions of the New York Zoological Society* **36:** 219–237.
- Levi, H. W., and L. R. Levi. 1955. Neotenic salamanders, *Ambystoma tigrinum*, in the Elk Mountains of Colorado. *Copeia* **1955**: 309.
- Levi, H. W., and L. R. Levi. 1961. Some comments on Walckenaer's names of American spiders, based on Abbot's drawings. *Psyche* **68:** 53–57.
- Levi, H. W., and L. R. Levi. 1962. The genera of the spider family Theridiidae. *Bulletin of the Museum of Comparative Zoology* **127:** 1–71.
- Levi, H. W., and L. R. Levi. 1968. A Guide to Spiders and Their Kin. New York, Golden Press.

- Levi, H. W., and L. R. Levi. 1968. Translation and revision, Kaestner, A., *Invertebrate Zoology, Vol. II:* Arthropod Relatives, Chelicerata, Myriapoda. New York Interscience Publishers.
- Levi, H. W., and L. R. Levi. 1969. Eggsac construction and further observations on the sexual behavior of the spider *Sicarius* (Araneae: Sicariidae). *Psyche* **76(1)**: 29–40.
- Levi, H. W., and L. R. Levi. 1974. Araneida, pp. 1066–1074. In *Encyclopaedia Britannica*, 15th ed. Helen H. Benton, publisher, Chicago, 1L.
- Levi, H. W., L. R. Levi, and J. L. Kasper. 1959. Harvestmen and spiders of Wisconsin; additional species and notes. *Transactions of the Wisconsin Academy of Sciences, Arts and Letters* **47**: 43–52.
- Levi, H. W., Y. D. Lubin, and M. H. Robinson. 1982. Two new *Achaearanea* species from Papua New Guinea with notes on other theridiid spiders (Araneae: Theridiidae). *Pacific Insects* **24(2)**: 105–113.
- Levi, H. W., and L. B. Patrick. 2013. Two new North American *Theridion* species (Araneae: Theridiidae). *Journal of Araclinology* **41:** 409–411.
- Levi, H. W., and L. J. Pinter. 1970. *Attus audax* Hentz, 1845 (Araneae): Proposed preservation under plenary powers and designation as type-species of *Phidippus* Koch, 1846. Z.N. (S.) 1904. *Bulletin of Zoological Nomenclature* 27(2): 103.
- Levi, H. W., and D. E. Randolph. 1975. A key and checklist of American spiders of the family Theridiidae north of Mexico (Araneae). *Journal of Araclmology* 3: 31–51.
- Levi, H. W., and A. J. Santos. 2013. New synonymies and a revalidation in the spider genera *Eustala* and *Micrathena* (Araneae: Araneidae). *Zoologia* (*Curitiba*) **30:** 221–226.
- Levi, H. W., and D. R. R. Smith. 1982. A new colonial *Anelosimus* spider from Suriname (Araneae: Theridiidae). *Psyche* **89**(3–4): 275–278.
- Levi, H. W., and A. Spielman. 1964. The biology and control of the South American brown spider, *Loxosceles laeta* (Nicolet), in a North American focus. *American Journal of Tropical Medicine and Hygiene* 13(1): 132–136.
- Levi, L. R., and H. W. Levi. 1950. New records of land snails from Wisconsin. *Nautilus* **63**: 131–138.
- Levi, L. R., and H. W. Levi. 1951. A report on land snails of the Jackson Hole Region Wyoming. *Nautilus* **65:** 60–65.
- Levi, L. R., and H. W. Levi. 1952. Preliminary list of harvestmen of Wisconsin with a key to genera.

- Transactions of the Wisconsin Academy of Sciences **4:** 163–167.
- Levi, L. R., and H. W. Levi. 1955. Spiders and harvestmen from Waterton and Glacier National Parks. *Canadian Field-Naturalist* **69:** 32–34.
- Lubin, Y. D., B. D. Opell, W. G. Eberhard, and H. W. Levi. 1982. Orb plus cone-webs in Uloboridae (Araneae), with a description of a new genus and four new species. *Psyche* 89(1–2): 29–64.
- Maretic, Z., H. W. Levi, and L. R. Levi. 1963. On the toxicity of the spider *Steatoda paykulliana*, a species newly discovered to be poisonous (preliminary report). *Jubilary Sei Meeting*, *Internal Medicine Special*, *Croatia & Slovenia Ljubljana*, p. 53.
- Maretić, Z., H. W. Levi, and L. Levi. 1964. The theridiid spider *Steatoda paykulliana*, poisonous to mammals. *Toxicon* 2: 149–154.
- McCrone, J. D., and H. W. Levi. 1964. North American widow spiders of the *Latrodectus curacaviensis* group (Araneae: Theridiidae). *Psyche* 71: 12--7.
- McCrone, J. D., and H. W. Levi. 1966. Postembryonic development of spiderlings from two Peruvian *Latrodectus* populations. *Psyche* **71**: 180–186.
- Moritz, M., H. W. Levi, and R. Pfüller. 1988. Achaearanea tabulata, eine für Europa neue Kugelspinne (Araneae, Theridiidae). Deutsche Entomologische Zeitschrift, Neue Folge 35: 361–367.
- Motta, P. C., and H. W. Levi. 2009. A new species of *Argiope* (Araneae: Araneidae) from Brazil. *Zoologia* (*Curitiba*) **26:** 334–336.
- Reiskind, J., and H. W. Levi, 1967. *Anatea*, an ant-mimicking theridiid spider from New Caledonia (Araneae: Theridiidae). *Psyche* **74:** 20–23.
- Santos, A. J., A. D. Brescovit, and H. W. Levi. 2005. *Melychiopharis*: An atypical orb-weaving spider from South America (Araneae: Araneidae). *Zootaxa* **1016**: 57–64.
- Smith, H. M., and H. W. Levi. 2010. Review of the genus *Micropoltys* (Chelicerata: Araneae: Araneidae). *Arthropod Systematics and Phylogeny* 68: 291–307.

CATALOGUE OF NEW TAXA

Compiled from: World Spider Catalog (2015). Natural History Museum Bern, online at http://wsc. nmbe.ch , version 16.5, accessed on 21 November 2015. Anapidae

Archerius mendocino Levi, 1957 [currently Comaroma mendocino (Levi, 1957)]

Araneidae

Acanthepeira cherokee Levi, 1976 Acanthepeira marion Levi, 1976 Aculepeira apa Levi, 1991 Aculepeira azul Levi, 1991

Aculepeira callaria Levi, 1991 [currently Amazonepeira callaria (Levi, 1991)]

Aculepeira escazu Levi, 1991 Aculepeira machu Levi, 1991 Aculepeira visite Levi, 1991 Alpaida almada Levi, 1988 Alpaida alto Levi, 1988

Aculepeira busu Levi, 1991

Alpaida alvarengai Levi, 1988 Alpaida amambay Levi, 1988 Alpaida anchicaya Levi, 1988

Alpaida anchicaya Levi, 1988 Alpaida angra Levi, 1988 Alpaida antonio Levi, 1988 Alpaida banos Levi, 1988 Alpaida biasii Levi, 1988 Alpaida bischoffi Levi, 1988

Alpaida boa Levi, 1988

Alpaida boraceia Levi, 1988 Alpaida cachimbo Levi, 1988

Alpaida cali Levi, 1988
Alpaida canela Levi, 1988
Alpaida canoa Levi, 1988
Alpaida caxias Levi, 1988
Alpaida chaco Levi, 1988
Alpaida chapada Levi, 1988
Alpaida chickeringi Levi, 1988
Alpaida cisneros Levi, 1988

Alpaida constant Levi, 1988 Alpaida coroico Levi, 1988 Alpaida costai Levi, 1988

Alpaida cuiaba Levi, 1988 Alpaida cuyabeno Levi, 1988 Alpaida darlingtoni Levi, 1988

Alpaida darungtout Levi, 1988 Alpaida deborae Levi, 1988 Alpaida dominica Levi, 1988 Alpaida eberhardi Levi, 1988

Alpaida ericae Levi, 1988 Alpaida gallardoi Levi, 1988

Alpaida gracia Levi, 1988

Alpaida guimaraes Levi, 1988

Alpaida gurupi Levi, 1988

Alpaida hartliebi Levi, 1988

Alpaida hoffmanni Levi, 1988

Alpaida holmbergi Levi, 1988

Alpaida iguazu Levi, 1988

Alpaida iquitos Levi, 1988

Alpaida itapua Levi, 1988

Alpaida itauba Levi, 1988

Alpaida jacaranda Levi, 1988

Alpaida kartabo Levi, 1988

Alpaida keyserlingi Levi, 1988

Alpaida kochalkai Levi, 1988

Alpaida lanei Levi, 1988

Alpaida lomba Levi, 1988

Alpaida lubinae Levi, 1988

Alpaida machala Levi, 1988

Alpaida madeira Levi, 1988 Alpaida manicata Levi, 1988

Alpaida marta Levi, 1988

Alpaida mato Levi, 1988

Alpaida moka Levi, 1988

Alpaida montecarlo Levi, 1988 [currently Larinia

unontecarlo (Levi, 1988)] Alpaida monzon Levi, 1988

Alpaida morro Levi, 1988

Alpaida muco Levi, 1988

Alpaida murtinho Levi, 1988

Alpaida nadleri Levi, 1988

Alpaida nancho Levi, 1988 Alpaida narino Levi, 1988

Alpaida natal Levi, 1988

Alpaida negro Levi, 1988

Alpaida nonoai Levi, 1988

Alpaida octolobata Levi, 1988

Alpaida orgaos Levi, 1988

Alpaida pedro Levi, 1988

Alpaida picchu Levi, 1988

Alpaida queremal Levi, 1988

Alpaida rioja Levi, 1988

Alpaida rosa Levi, 1988

Alpaida rossi Levi, 1988 Alpaida santosi Levi, 1988

Alpaida schneblei Levi, 1988

Alpaida sevilla Levi, 1988

Alpaida silencio Levi, 1988 Alpaida siinla Levi, 1988 Alpaida sobradinho Levi, 1988 Alpaida simare Levi, 1988 Alpaida tayos Levi, 1988 Alpaida thaxteri Levi, 1988 Alpaida tijuca Levi, 1988 Alpaida urnenea Levi, 1988 Alpaida ntenyaen Levi, 1988 Alpaida ntiariti Levi, 1988 Alpaida vanzolinii Levi, 1988 Alpaida vera Levi, 1988 Alpaida weyranchi Levi, 1988 Alpaida xavantina Levi, 1988 Alpaida yotoco Levi, 1988 Alpaida yncuma Levi, 1988 Alpaida yingas Levi, 1988 Alpaida vnto Levi, 1988 Amazonepeira beno Levi, 1994 Amazonepeira herrera Levi, 1989 Amazonepeira manans Levi, 1994 Amazonepeira masaka Levi, 1994 Aranens abeiens Levi, 1991 Araneus abigeatus Levi, 1975 Aranens acolla Levi, 1991 Aranens alline Levi, 1991 Araneus allani Levi, 1973 Aranens ana Levi, 1991 Araneus apache Levi, 1975 Aranens aragua Levi, 2008 Aranens axacus Levi, 1991 Aranens banl Levi, 1991 Aranens bimini Levi, 1991 Aranens blinnenan Levi, 1991 Araneus boueti Levi, 1991 Aranens caballo Levi, 1991 Aranens calnsa Levi. 1973 Aranens carchi Levi, 1991 Aranens carimagna Levi, 1991 Aranens carroll Levi, 1973 Araneus castilho Levi, 1991 Araneus chiapas Levi, 1991 Aranens chingaza Levi, 1991 Aranens chiricalma Levi, 1973 [synonym = Ara-

nens gnerrerensis Chamberlin & Ivie, 1936]

Araneus cochise Levi, 1973 Aranens cohnae Levi, 1991 Aranens colima Levi, 1991 Araneus concepcion Levi, 1991 Aranens cristobal Levi, 1991 Aranens cuiaba Levi, 1991 Araneus desierto Levi, 1991 Araneus dreisbachi Levi, 1991 Aranens elizabethae Levi, 1991 Araneus frio Levi, 1991 Aranens fronki Levi, 1991 Aranens gadus Levi, 1973 Aranens galero Levi, 1991 Aranens gerais Levi, 1991 Aranens gnatemns Levi, 1991 Araneus horizonte Levi, 1991 Aranens hnahm Levi, 1991 Aranens linixtla Levi, 1991 Aranens ignacıı Levi, 1991 Aranens jalisco Levi, 1991 Araneus janumdi Levi, 1991 Aranens kerr Levi, 1981 Araneus koepckeorum Levi, 1991 Aranens lanio Levi, 1991 Aranens lenkoi Levi, 1991 Aranens leones Levi, 1991 Aranens lintatus Levi, 1991 Aranens mariposa Levi, 1973 Aranens matogrosso Levi, 1991 Araneus mazamitla Levi, 1991 Aranens mendoza Levi, 1991 Aranens miami Levi, 1973 Araneus missouri Levi, 2008 Araneus monica Levi, 1973 Aranens moretonae Levi, 1991 Aranens musawas Levi, 1991 Araneus nacional Levi, 1991 Aranens nashoba Levi, 1973 Araneus uuboso Levi, 1991 Araneus ocaxa Levi, 1991 Aranens orgaos Levi, 1991 Araneus penai Levi, 1991 Aranens pico Levi, 1991 Araneus pina Levi, 1971 [synonym = Araneus illandatus (Gertsch & Mulaik, 1936)]

Araneus popaco Levi, 1991 Araneus prunns Levi, 1973 Araneus puebla Levi, 1991 Aranens quirapan Levi, 1991 Araneus raui Levi, 1973 [homonym replaced = Araneus missouri Levi, 2008] Araneus salto Levi, 1991 Araneus schneblei Levi, 1991 Araneus selva Levi, 1991 Araneus sernai Levi, 1991 Araneus sicki Levi, 1991 Araneus talca Levi, 1991 Aranens tambopata Levi, 1991 Araneus tellezi Levi, 1991 Araneus tenancingo Levi, 1991 Araneus tepic Levi, 1991 Aranens tijuca Levi, 1991 Aranens tuscarora Levi, 1973 Araneus nbicki Levi, 1991 Araneus uruapan Levi, 1991 Aranens urubamba Levi, 1991 Aranens villa Levi, 1991 Araneus washingtoni Levi, 1971 Aranens xavantina Levi, 1991 Araneus vukon Levi, 1971 Araneus zapallar Levi, 1991 Argiope boesenbergi Levi, 1983 Argiope caledonia Levi, 1983 Argiope dietrichae Levi, 1983 Argiope ericae Levi, 2004 Argiope katherina Levi, 1983 Argiope kochi Levi, 1983 Argiope madang Levi, 1984 Argiope manila Levi, 1983 Argiope mascordi Levi, 1983 Argiope ponape Levi, 1983 Argiope radon Levi, 1983 Argiope savignyi Levi, 1968 [synonym = Argiope submaronica Strand, 1916] Argiope thai Levi, 1983) [synonym = Cyrtophora moluccensis (Doleschall, 1857)] Argiope trnk Levi, 1983

Bertrana arena Levi, 1989

Bertrana benuta Levi, 1994

Bertrana laselva Levi, 1989

Bertrana nancho Levi, 1989 Bertrana planada Levi, 1989 Bertrana poa Levi, 1994 Bertrana nralnia Levi, 1994 Bertrana vella Levi, 1989 Chaetacis carimagua Levi, 1985 [currently Micrathena carimagna (Levi, 1985)] Chaetacis cucharas Levi, 1985 [currently Micrathena cucharas (Levi, 1985)] Chaetacis osa Levi, 1985 [currently Micrathena osa (Levi, 1985)] Chaetacis woytkowskii Levi, 1985 [currently Micrathena woytkowskii (Levi, 1985)] Cyclosa alayoni Levi, 1999 Cyclosa andinas Levi, 1999 Cvclosa berlandi Levi, 1999 Cyclosa cajamarca Levi, 1999 Cyclosa camargoi Levi, 1999 Cyclosa coylei Levi, 1999 Cyclosa curiraba Levi, 1999 Cyclosa dianasilvae Levi, 1999 Cyclosa donking Levi, 1999 Cyclosa durango Levi, 1999 Cyclosa espunioso Levi, 1999 Cyclosa haiti Levi, 1999 Cyclosa huila Levi, 1999 Cyclosa imias Levi, 1999 Cyclosa inca Levi, 1999 Cyclosa jalapa Levi, 1999 Cyclosa jose Levi, 1999 Cyclosa libertad Levi, 1999 Cyclosa machadinho Levi, 1999 Cyclosa mavaca Levi, 1999 Cyclosa mocoa Levi, 1999 Cyclosa monteverde Levi, 1999 Cyclosa morretes Levi, 1999 Cyclosa nevada Levi, 1999 Cyclosa ojeda Levi, 1999 Cyclosa olivenca Levi, 1999 Cyclosa oseret Levi, 1999 Cyclosa pantanal Levi, 1999 Cyclosa pedropalo Levi, 1999 Cyclosa picchu Levi, 1999 Cyclosa pichilingue Levi, 1999

Cvclosa santafe Levi, 1999

Cyclosa serena Levi, 1999 Cvclosa tamanaco Levi. 1999 Cvclosa teresa Levi, 1999 Cyclosa turvo Levi, 1999 Cyclosa vicente Levi, 1999 Cyclosa vieirae Levi, 1999 Dubiepeira amablemaria Levi, 1991 Dubiepeira amacayacu Levi, 1991 Dubiepeira lamolina Levi, 1991 Enacrosoma frenca Levi, 1996 Enacrosoma javium Levi, 1996 Enacrosoma quizarra Levi, 1996 Eustala cazieri Levi, 1977 Eustala eleuthera Levi, 1977 Galaporella thaleri Levi, 2009 Gea eff Levi, 1983 Hingstepeira arnolisei Levi, 1995 Hingstepeira dimona Levi, 1995 Hingstepeira isherton Levi, 1995 Hypognatha alho Levi, 1996 Hypognatha belem Levi, 1996 Hypognatha cacau Levi, 1996 Hypognatha cambara Levi, 1996 Hypognatha carpish Levi, 1996 Hypognatha colosso Levi, 1996 Hypognatha coyo Levi, 1996 Hypognatha divuca Levi, 1996 Hypognatha ica Levi, 1996 Hypognatha itnara Levi, 1996 Hypognatha jacaze Levi, 1996 Hypognatha janauari Levi, 1996 Hypognatha lagoas Levi, 1996 Hypognatha lamoka Levi, 1996 Hypognatha maranon Levi, 1996 Hypognatha maria Levi, 1996 Hypognatha matisia Levi, 1996 Hypognatha mozamba Levi, 1996 Hypognatlia navio Levi, 1996 Hypognatha pereiroi Levi, 1996 Hypognatha putumayo Levi, 1996 Hypognatha rancho Levi, 1996 Hypognatha saut Levi, 1996 Hypognatha solimoes Levi, 1996 Hypognatha tampo Levi, 1996 Hypognatha tingo Levi, 1996

Hypognatha tocantins Levi, 1996 Hypognatha triunfo Levi, 1996 Hypognatha utari Levi, 1996 Hypognatha viamao Levi, 1996 Hypsosinga alberta Levi, 1972 Kaira cobimcha Levi, 1993 Kaira dianae Levi, 1993 Kaira erwini Levi, 1993 Kaira hiteae Levi, 1977 Kaira sabino Levi, 1977 Kaira shinguito Levi, 1993 Kaira tulua Levi, 1993 Lewisepeira boquete Levi, 1993 Lewisepeira chichinautzin Levi, 1993 Lewisepeira maricao Levi, 1993 Madrepeira amazonicus Levi, 1995 [svnonvm = Spintharidius rhomboidalis Simon, 1893] Mangora acaponeta Levi, 2005 Mangora acoripa Levi, 2007 Mangora acre Levi, 2007 Mangora alinahui Levi, 2007 Mangora amacayacu Levi, 2007 Mangora amchickeringi Levi, 2005 Mangora anilensis Levi, 2007 Mangora antonio Levi, 2007 Mangora apaporis Levi, 2007 Mangora apobama Levi, 2007 Mangora aripeba Levi, 2007 Mangora aripuana Levi, 2007 Mangora asis Levi, 2007 Mangora ayo Levi, 2007 Mangora balbina Levi, 2007 Mangora bambusa Levi, 2007 Mangora barba Levi, 2007 Mangora bemberg Levi, 2007 Mangora blumenau Levi, 2007 Mangora bocaina Levi, 2007 Mangora bonaldoi Levi, 2007 Mangora botelho Levi, 2007 Mangora bovis Levi, 2007 Mangora boyaca Levi, 2007 Mangora brokopondo Levi, 2007 Mangora browns Levi, 2007 Mangora caballero Levi, 2007 Mangora cajuta Levi, 2007

Mangora campeche Levi, 2005 Mangora caparu Levi, 2007 Mangora castelo Levi, 2007 Mangora caxias Levi, 2007 Mangora cercado Levi, 2007 Mangora chacobo Levi, 2007 Mangora chanchamayo Levi, 2007 Mangora chao Levi, 2007 Mangora chavantina Levi, 2007 Mangora chicanna Levi, 2005 Mangora chiguaza Levi, 2007 Mangora chispa Levi, 2007 Mangora chuquisaca Levi, 2007 Mangora cochuna Levi, 2007 Mangora colonche Levi, 2007 Mangora comaina Levi, 2007 Mangora corcovado Levi, 2005 Mangora corocito Levi, 2007 Mangora craigae Levi, 2005 Mangora cutucu Levi, 2007 Mangora dagua Levi, 2007 Mangora dianasilvae Levi, 2007 Mangora divisor Levi, 2007 Mangora eberhardi Levi, 2007 Mangora engleri Levi, 2007 Mangora enseada Levi, 2007 Mangora explorama Levi, 2007 Mangora florestal Levi, 2007 Mangora fortuna Levi, 2005 Mangora fundo Levi, 2007 Mangora goodnightorum Levi. 2005 Mangora grande Levi, 2007 Mangora huallaga Levi, 2007 Mangora huancabamba Levi, 2007 Mangora ikuruwa Levi, 2007 Mangora isabel Levi, 2007 Mangora itabapuana Levi, 2007 Mangora itatiaia Levi, 2007 Mangora itza Levi, 2005 Mangora ixtapan Levi, 2005 Mangora jumboe Levi, 2007 Mangora keduc Levi, 2007 Mangora kochalkai Levi, 2007 Mangora kuntur Levi, 2007 Mangora laga Levi, 2007

Mangora latica Levi, 2007 Mangora lechngal Levi, 2007 Mangora leticia Levi, 2007 Mangora leverger Levi, 2007 Mangora logrono Levi, 2007 Mangora mamirana Levi, 2007 Mangora manglar Levi, 2007 Mangora manicore Levi, 2007 Mangora mapia Levi, 2007 Mangora matamata Levi, 2007 Mangora maximiano Levi, 2007 Mangora melloleitaoi Levi, 2007 Mangora minacu Levi, 2007 Mangora missa Levi, 2007 Mangora mitu Levi, 2007 Mangora morona Levi, 2007 Mangora moyobamba Levi, 2007 Mangora nahuatl Levi, 2005 Mangora nonoai Levi, 2007 Mangora nuco Levi, 2007 Mangora oaxaca Levi, 2005 Mangora ordaz Levi, 2007 Mangora oxapampa Levi, 2007 Mangora pagoreni Levi, 2007 Mangora palenque Levi, 2007 Mangora paranaiba Levi, 2007 Mangora paula Levi, 2007 Mangora peichiuta Levi, 2007 Mangora pepino Levi, 2007 Mangora pira Levi, 2007 Mangora piroca Levi, 2007 Mangora porcullo Levi, 2007 Mangora puerto Levi, 2007 Mangora purulha Levi, 2005 Mangora ramirezi Levi, 2007 Mangora rondonia Levi, 2007 Mangora rupununi Levi, 2007 Mangora saut Levi, 2007 Mangora sciosciae Levi, 2007 Mangora semiatra Levi, 2007 Mangora shudikar Levi, 2007 Mangora sobradinho Levi, 2007 Mangora socorpa Levi, 2007 Mangora sturini Levi, 2007 Mangora sumauma Levi. 2007

Mangora taboquinha Levi, 2007 Mangora taczanowskii Levi, 2007 Mangora tambo Levi, 2007 Mangora taraira Levi, 2007 Mangora tarapuv Levi, 2007 Mangora tarma Levi, 2007 Mangora tefe Levi, 2007 Mangora unam Levi, 2007 Mangora uraricoera Levi, 2007 Mangora uru Levi, 2007 Mangora uziga Levi, 2007 Mangora vaupes Levi, 2007 Mangora velha Levi, 2007 Mangora vianai Levi, 2007 Mangora villeta Levi, 2007 Mangora vito Levi, 2005 Mangora volcan Levi, 2005 Mangora woytkowskii Levi, 2007 [synonym = Mangora hirtipes (Taczanowski, 1878)] Mangora yacupoi Levi, 2007 Mangora vimgas Levi, 2007 Mangora zepol Levi, 2007 Mangora zona Levi, 2007 Manogea gaira Levi, 1997 Manogea triforma Levi, 1997 Mastophora alachna Levi, 2003 Mastophora apalachicola Levi, 2003 Mastophora brescoviti Levi, 2003 Mastophora catarina Levi, 2003 Mastophora conica Levi, 2006 Mastophora corumbatai Levi, 2003 Mastophora diablo Levi, 2003 Mastophora escomeli Levi, 2003 Mastophora felda Levi, 2003 Mastophora lara Levi, 2003 Mastophora pesqueiro Levi, 2003 Mastophora piras Levi, 2003 Mastophora rabida Levi, 2003 Mastophora reimoseri Levi, 2003 Mastophora satsuma Levi, 2003 Mastophora seminole Levi, 2003 Mastophora soberiana Levi, 2003 Mastophora stowei Levi, 2003 Mastophora timuqua Levi, 2003

Mastophora yacare Levi, 2003

Mastophora yeargani Levi, 2003 Mastophora ypiranga Levi, 2003 Mecynogea apatzingan Levi, 1997 Mecynogea buique Levi, 1997 Mecynogea chavona Levi, 1997 Mecynogea ocosingo Levi, 1997 Mecynogea sucre Levi, 1997 Metazygia adisi Levi, 1995 Metazygia aldela Levi, 1995 Metazygia anıalla Levi, 1995 Metazygia arnoi Levi, 1995 Metazygia atalaya Levi, 1995 Metazygia atama Levi, 1995 Metazygia bahana Levi, 1995 Metazygia bahia Levi, 1995 Metazygia barneri Levi, 1995 Metazygia benella Levi, 1995 Metazygia bolivia Levi, 1995 Metazygia carimagua Levi, 1995 Metazygia carrizal Levi, 1995 Metazygia cazeaca Levi, 1995 Metazygia chenevo Levi, 1995 Metazvgia chicama Levi, 1995 Metazygia cienaga Levi, 1995 Metazygia corima Levi, 1995 Metazygia corumba Levi, 1995 Metazygia cmha Levi, 1995 Metazygia curari Levi. 1995 Metazygia ducke Levi, 1995 Metazygia enabla Levi, 1995 Metazygia floresta Levi, 1995 Metazygia genaro Levi, 1995 Metazvgia goeldii Levi, 1995 Metazvgia ikmrnwa Levi, 1995 Metazygia ipago Levi, 1995 Metazygia ipanga Levi, 1995 Metazygia isabelae Levi, 1995 Metazygia ituari Levi, 1995 Metazygia jamari Levi, 1995 Metazygia lagiana Levi, 1995 Metazygia lazepa Levi, 1995 Metazygia limonal Levi, 1995 Metazygia lopez Levi, 1995 Metazygia loque Levi, 1995 Metazygia manu Levi, 1995

Metazygia mariahelenae Levi, 1995 Metazygia matauzas Levi, 1995 Metazygia moldira Levi, 1995 Metazygia uobas Levi, 1995 Metazygia octawa Levi, 1995 Metazvgia oro Levi, 1995 Metazygia paquisha Levi, 1995 Metazygia pastaza Levi, 1995 Metazygia patiania Levi, 1995 Metazygia peckorum Levi, 1995 Metazygia pimeutel Levi, 1995 Metazygia redfordi Levi, 1995 Metazygia rothi Levi, 1995 Metazygia samiria Levi, 1995 Metazygia saturuino Levi, 1995 Metazygia seudero Levi, 1995 Metazygia seriau Levi, 1995 Metazygia souza Levi, 1995 Metazygia taman Levi, 1995 Metazygia tauica Levi, 1995 Metazygia tapa Levi, 1995 Metazygia uma Levi, 1995 Metazygia uraricoera Levi, 1995 Metazygia uratron Levi, 1995 Metazygia valeutiui Levi, 1995 Metazygia vaupes Levi, 1995 Metazygia vaurieorum Levi, 1995 Metazygia voxanta Levi, 1995 Metazygia yobeua Levi, 1995 Metazygia yucuuto Levi, 1995 Metepeira comauche Levi, 1977 Micratheua alvarengai Levi, 1985 Micrathena auchicaya Levi, 1985 Micrathena atuncela Levi, 1985 Micrathena balzapamba Levi, 1985 Micrathena bananal Levi, 1985 Micrathena banksi Levi, 1985 Micrathena bogota Levi, 1985 Micrathena coca Levi, 1985 Micrathena coroico Levi, 1985 Micrathena embira Levi, 1985 Micrathena exlinae Levi, 1985 Micrathena glyptogonoides Levi, 1985 Micrathena guanabara Levi, 1985 [synonym = Micrathena sauctispiritus Brignoli, 1983]

Micrathena guayas Levi, 1985 Micrathena gurupi Levi, 1985 Micrathena huanuco Levi, 1985 Micrathena juudiai Levi, 1985 Micrathena kochalkai Levi, 1985 Micrathena lenca Levi, 1985 Micrathena margerita Levi, 1985 Micrathena marta Levi, 1985 Micrathena petrunkevitchi Levi, 1985 Micrathena pichincha Levi, 1985 Micrathena pilaton Levi, 1985 Micrathena reali Levi, 1985 Micrathena soaresi Levi, 1985 Micrathena teresopolis Levi, 1985 Micrathena tziscao Levi, 1985 Micrathena ucayali Levi, 1985 Micrepeira fowleri Levi, 1995 Micrepeira hoeferi Levi, 1995 Micrepeira pachitea Levi, 1995 Micrepeira smithae Levi, 1995 Micrepeira velso Levi, 1995 Molinaranea fernaudez Levi, 2001 Molinaranea vildav Levi, 2001 Neoscona marcanoi Levi, 1993 Ocrepeira abiseo Levi, 1993 Ocrepeira auta Levi, 1993 Ocrepeira aragua Levi, 1993 Ocrepeira arturi Levi, 1993 Ocrepeira atuncela Levi, 1993 Ocrepeira barbara Levi, 1993 Ocrepeira brauta Levi, 1993 Ocrepeira camaca Levi, 1993 Ocrepeira comaina Levi, 1993 Ocrepeira covillei Levi, 1993 Ocrepeira cuv Levi, 1993 Ocrepeira galianoae Levi, 1993 Ocrepeira gima Levi, 1993 Ocrepeira gulielmi Levi, 1993 Ocrepeira heredia Levi, 1993 Ocrepeira herrera Levi, 1993 Ocrepeira hondura Levi, 1993 Ocrepeira ituaugo Levi, 1993 Ocrepeira jacara Levi, 1993 Ocrepeira jamora Levi, 1993 Ocrepeira klossi Levi, 1993

Ocrepeira lapeza Levi, 1993 Ocrepeira lisei Levi, 1993 Ocrepeira macaiba Levi, 1993 Ocrepeira macintyrei Levi, 1993 Ocrepeira magdalena Levi, 1993 Ocrepeira malleri Levi, 1993 Ocrepeira maltana Levi, 1993 Ocrepeira maraca Levi, 1993 Ocrepeira molle Levi, 1993 Ocrepeira pedregal Levi, 1993 Ocrepeira pinhal Levi, 1993 Ocrepeira pista Levi, 1993 Ocrepeira planada Levi. 1993 Ocrepeira potosi Levi, 1993 Ocrepeira redondo Levi, 1993 Ocrepeira saladito Levi, 1993 Ocrepeira sorota Levi, 1993 Ocrepeira steineri Levi, 1993 Ocrepeira tinajillas Levi, 1993 Ocrepeira tungurahua Levi, 1993 Ocrepeira valderramai Levi, 1993 Ocrepeira viejo Levi, 1993 Ocrepeira willisi Levi, 1993 Ocrepeira yaelae Levi, 1993 Ocrepeira yucatan Levi, 1993 Parawixia acapulco Levi, 1992 Parawixia barbacoas Levi, 1992 Parawixia casa Levi, 1992 Parawixia chubut Levi, 2001 Parawixia divisoria Levi, 1992 Parawixia maldonado Levi, 1992 Parawixia matiapa Levi, 1992 Parawixia ouro Levi, 1992 Parawixia porvenir Levi, 1992 Parawixia tarapoa Levi, 1992 Parawixia tomba Levi, 1992 Pronous colon Levi, 1995 Pronous felipe Levi, 1995 Pronous golfito Levi, 1995 Pronous intus Levi, 1995 Pronons lancetilla Levi, 1995 Pronous pance Levi, 1995 Pronous peje Levi, 1995 Pronous quintana Levi, 1995 Pronous shanus Levi, 1995

Pronous valle Levi, 1995 Singa eugeni Levi, 1972 Spilasma baptistai Levi, 1995 Spilasma utaca Levi, 1995 Spinepeira schlingeri Levi, 1995 Tatepeira carrolli Levi, 1995 Tatepeira itu Levi, 1995 Tatepeira stadelmani Levi, 1995 Testudinaria bonaldoi Levi, 2005 Testudinaria debsmithae Levi, 2005 Testudinaria gravatai Levi, 2005 Wagneriana alma Levi, 1991 Wagneriana atuna Levi, 1991 Wagneriana banıba Levi, 1991 Wagneriana carimagua Levi, 1991 Wagneriana cobella Levi, 1991 Wagneriana eldorado Levi, 1991 Wagneriana hassleri Levi, 1991 Wagneriana huanca Levi, 1991 Wagneriana ignape Levi, 1991 Wagneriana jacaza Levi, 1991 Wagneriana janeiro Levi, 1991 [synonym = Wagneriana dimastophora (Mello-Leitão, 1940)] Wagneriana juquia Levi, 1991 Wagneriana lechuza Levi, 1991 Wagneriana madrejon Levi, 1991 Wagneriana maseta Levi, 1991 Wagneriana neblina Levi, 1991 Wagneriana pakitza Levi, 1991 Wagneriana roraima Levi, 1991 Wagneriana silvae Levi, 1991 Wagneriana taboga Levi, 1991 Wagneriana taim Levi, 1991 Wagneriana tavos Levi, 1991 Wagneriana uzaga Levi, 1991 Wagneriana vegas Levi, 1991 Wagneriana yacuma Levi, 1991 Wixia georgia Levi, 1976 [currently Ocrepeira georgia (Levi, 1976)] Xylethrus ameda Levi, 1996 Xylethrus anomid Levi, 1996

Dictynidae

Cicurina lowriei Levi, 1951 [synonym = Cicurina placida Banks, 1892]

Gnaphosidae

Micaria jacksonia Levi & Levi, 1951 [synonym = Micaria coloradensis Banks, 1896]

Micaria tetonia Levi & Levi, 1951 [synonym = Micaria aenea Thorell, 1871]

Nodocion melanie Levi, [synonym = Nodocion floridanus (Banks, 1896)]

Linyphiidae

Ceraticelus rowensis Levi & Levi, 1955

Collinsia wilburi Levi & Levi, 1955 [currently Frederickus wilburi (Levi & Levi, 1955)]

Lepthyphantes aldersoni Levi & Levi, 1955

Lepthyphantes berthae (Levi & Levi, 1955) [synonym = Poeciloneta lyrica (Zorsch, 1937)]

Lepthyphantes sammamish Levi & Levi, 1955

[currently Saaristoa sammamish (Levi & Levi, 1955)]

Lycosidae

Pardosa solituda Levi & Levi, 1951 [currently Acantholycosa solituda (Levi & Levi, 1951)]

Mysmenidae

Mysmena cymbia Levi, 1956 [currently Mysmenopsis cymbia (Levi, 1956)]Mysmena guianensis Levi, 1956Mysmena ixlitla Levi, 1956 [currently Mysmenopsis ixlitla (Levi, 1956)]

Philodromidae

Philodromus michiganensis Levi, 1951 [synonym = Philodromus peninsulanus Gertsch, 1934]
Philodromus oneida Levi, 1951

Phrurolithidae

Scotinella custeri Levi, 1951 Scotinella madisonia Levi, 1951 Scotinella manitou Levi, 1951

Psechridae

Psechrus borneo Levi, 1982 Psechrus kinabalu Levi, 1982 Psechrus marsyandi Levi, 1982 Psechrus mulu Levi, 1982

Salticidae

Icius fontanus Levi, 1951 [currently Paradamoetas fontanus (Levi, 1951)]

Metaphidippus clematus Levi & Levi, 1951 [currently Pelegrina clemata (Levi & Levi, 1951)]

Sitticus haydeni Levi & Levi, 1951 [synonym = Sitticus ranieri (Peckham & Peckham, 1909)]

Tetragnathidae

Chrysometa adelis Levi, 1986 Chrysometa alajuela Levi, 1986 Chrysometa allija Levi, 1986 Chrysometa antonio Levi, 1986 Chrysometa aramba Levi, 1986 Chrysometa banos Levi, 1986 Chrysometa bolivari Levi, 1986 Chrysometa bolivia Levi, 1986 Chrysometa boquete Levi, 1986 Chrysometa boraceia Levi, 1986 Chrysometa browni Levi, 1986 Chrysometa buenaventura Levi, 1986 Chrysometa buga Levi, 1986 Chrysometa butamalal Levi, 1986 Chrysometa cali Levi, 1986 Chrysometa calima Levi, 1986 Chrysometa cambara Levi, 1986 Chrysometa carmelo Levi, 1986 Chrysometa cebolleta Levi, 1986 Chrysometa chica Levi, 1986 Chrysometa chipinque Levi, 1986 Chrysometa choroni Levi, 1986 Chrysometa chulumani Levi. 1986 Chrysometa churitepui Levi, 1986 Chrysometa claudia Levi, 1986 Chrysometa craigae Levi, 1986 Chrysometa cuenca Levi, 1986 Chrysometa digua Levi, 1986 Chrysometa donachui Levi, 1986 Chrysometa duida Levi, 1986 Chrysometa eberhardi Levi, 1986 Chrysometa ecarup Levi, 1986 Chrysometa eugeni Levi, 1986 Chrysometa fidelia Levi, 1986

Chrysometa guadeloupensis Levi, 1986 Chrysometa heredia Levi, 1986 Chrysometa luamico Levi, 1986 Chrysometa huila Levi, 1986 Chrysometa incachaca Levi, 1986 Chrysometa itaimba Levi, 1986 Chrysometa jelskii Levi, 1986 Chrysometa jordao Levi, 1986 Chrysometa keyserlingi Levi, 1986 Chrysonieta kochalkai Levi, 1986 Chrysometa lancetilla Levi, 1986 Chrysometa lapazensis Levi, 1986 Chrysometa luisi Levi, 1986 Chrysometa machala Levi, 1986 Chrysometa macintyrei Levi, 1986 Chrysometa macuchi Levi, 1986 Chrysometa magdalena Levi, 1986 Chrysometa małkini Levi, 1986 Chrysometa marta Levi, 1986 Chrysometa merida Levi, 1986 Chrysometa minza Levi, 1986 Chrysonieta muerte Levi, 1986 Chrysometa niebla Levi, 1986 Chrysometa nuboso Levi, 1986 Chrysometa nuevagranada Levi, 1986 Chrysometa otavalo Levi, 1986 Chrysometa palenque Levi, 1986 Chrysometa pecki Levi, 1986 Chrysometa penai Levi, 1986 Chrysometa pichincha Levi, 1986 Chrysometa pilimbala Levi, 1986 Chrysometa plana Levi, 1986 Chrysometa poas Levi, 1986 Chrysometa puebla Levi, 1986 Chrysometa purace Levi, 1986 Chrysometa ramon Levi, 1986 Chrysometa rincon Levi, 1986 Chrysometa sabana Levi, 1986 Chrysometa saladito Levi, 1986 Chrysometa saramacca Levi, 1986 Chrysometa satura Levi, 1986 Chrysometa schneblei Levi, 1986 Chrysometa serachui Levi, 1986 Chrysometa sevillano Levi, 1986 Chrysometa sicki Levi, 1986

Chrysometa sondo Levi, 1986 Chrysometa sumare Levi, 1986 Chrysometa sztolcmani Levi, 1986 Chrysometa tinajillas Levi, 1986 Chrysometa troya Levi, 1986 Chrysometa tungurahua Levi, 1986 Chrysometa uaza Levi, 1986 Chrysometa universitaria Levi, 1986 Chrysometa ura Levi, 1986 Chrysometa utcuyacu Levi, 1986 Chrysometa valle Levi, 1986 Chrysometa xavantina Levi, 1986 Chrysometa votoco Levi, 1986 Chrysonieta yungas Levi, 1986 Chrysometa yunque Levi, 1986 Glenognatha iviei Levi, 1980 Homalometa chiriqui Levi, 1986 Homalometa nossa Levi, 1986 Meta dolloff Levi, 1980 Metleucauge eldorado Levi, 1980 Pachygnatha calusa Levi, 1980 Pachygnatha kuratai Levi, 1951 [synonym = Pachygnatha dorothea McCook. 1894] Tetragnatha branda Levi, 1981 Tetragnatha earmra Levi, 1981 [synonym = Tetragnatha gracilis (Bryant, 1923)] Tetragnatha harrodi Levi, 1951 [synonym = Tetragnatha dearmata Thorell, 1873] Tetragnatha numa Levi & Levi, 1955 [synonym = Tetragnatha laboriosa Hentz, 1850] Tetragnatha shoshone Levi, 1981

Theridiidae

Achaearanea ambera Levi, 1963 [currently Cryptachaea ambera (Levi, 1963)]

Achaearanea analista Levi, 1963 [currently Cryptachaea analista (Levi, 1963)]

Achaearanea anastema Levi, 1963 [currently Cryptachaea anastema (Levi, 1963)]

Achaearanea annus Levi, 1959 [currently Hent-ziectypus annus (Levi, 1959)]

Achaearanea apex Levi, 1959 [currently Hentziectypus apex (Levi, 1959)]

Achaearanea hanosensis Levi, 1963 [currently Cryptachaea hanosensis (Levi, 1963)]

- Achaearanea barra Levi, 1963 [currently Cryptachaea barra (Levi, 1963)]
- Achaearanea caliensis Levi, 1963 [currently Cryptachaea caliensis (Levi, 1963)]
- Achaearanea caqueza Levi, 1963 [currently Cryptachaea caqueza (Levi, 1963)]
- Achaearanea chilensis Levi, 1963 [currently Cryptachaea chilensis (Levi, 1963)]
- Achaearanea chiricahua Levi, 1955 [currently Cryptachaea chiricahua (Levi, 1955)]
- Achaearanea cinnabarina Levi, 1963 [currently Cryptachaea cinnabarina (Levi, 1963)]
- Achaearanea diamantina Levi, 1963 [synonym = Cryptachaea hirta (Taczanowski, 1873)]
- Achaearanea eranus Levi, 1963 [currently Cryptachaea erenus (Levi, 1963)]
- Achaearanea florendidus Levi, 1959 [currently Hentziectypus florendidus (Levi, 1959)]
- Achaearanea fresuo Levi, 1955 [currently Crypt-achaea frenso (Levi, 1963)]
- Achaearanea geochares Levi, 1955 [synonym = Cryptachaea blattea (Urquhart, 1886)]
- Achaearanea hermosillo Levi, 1959 [currently Hentziectypus hermosillo (Levi, 1959)]
- Achaearanea inops Levi, 1963 [currently Cryptachaea inops (Levi, 1963)]
- Achaearanea isana Levi, 1963 [currently Cryptachaea isana (Levi, 1963)]
- Achaearanea jequirituba Levi, 1963 [currently Cryptachaea jequirituba (Levi, 1963)]
- Achaearanea kaindi Levi, Lubin & Robinson, 1982 [currently *Parasteatoda kaindi* (Levi, Lubin & Robinson, 1982)]
- Achaearanea kaspi Levi, 1963 [currently Crypt-achaea kaspi (Levi, 1963)]
- Achaearanea koepckei Levi, 1963 [currently Cryptachaea koepckei (Levi, 1963)]
- Achaearanea lota Levi, 1963 [currently Cryptachaea lota (Levi, 1963)]
- Achaearanea machaera Levi, 1959
- Achaearanea manzanillo Levi, 1959 [currently Cryptachaea manzanillo (Levi, 1959)]
- Achaearanea mesax Levi, 1959) [synonym = Parasteatoda nigrovittata (Keyserling, 1884)]
- Achaearanea milagro Levi, 1963 [currently Cryptachaea milagro (Levi, 1963)]

- Achaearanea nayaritensis Levi, 1959 [currently Cryptachaea nayaritensis (Levi, 1959)]
- Achaearanea orana Levi, 1963 [currently Crypt-achaea orana (Levi, 1963)]
- Achaearanea orgea Levi, 1967 [currently Theridion orgea (Levi, 1959)]
- Achaearanea pallipera Levi, 1963 [currently Cryptachaea pallipera (Levi, 1963)]
- Achaearanea parana Levi, 1963 [currently Cryptachaea parana (Levi, 1963)]
- Achaearanea pilaton Levi, 1963 [currently Crypt-achaea pilaton (Levi, 1963)]
- Achaearanea rapa Levi, 1963 [currently Crypt-achaea rapa (Levi, 1963)]
- Achaearanea rioensis Levi, 1963 [currently Cryptachaea rioensis (Levi, 1963)]
- Achaearanea schneirlai Levi, 1959 [currently Cryptachaea schneirlai (Levi, 1959)]
- Achaearanea schraderorum Levi, 1959 [currently Cryptachaea schraderorum (Levi, 1959)]
- Achaearanea serax Levi, 1959 [currently Hentziectypus serax (Levi, 1959)]
- Achaearanea sicki Levi, 1963 [currently Cryptachaea sicki (Levi, 1963)]
- Achaearanea tabulata Levi, 1980 [currently Parasteatoda tabulata (Levi, 1980)]
- Achaearanea teja Levi, 1967) [synonym = Crypt-achaea blattea (Urquhart, 1886)]
- Achaearanea terex (Levi, 1959) [synonym = Parasteatoda tesselata (Keyserling, 1884)]
- Achaearanea tingo Levi, 1963
- Achaearanea tovarensis Levi, 1963 [currently Cryptachaea tovarensis (Levi, 1963)]
- Achaearanea trinidensis Levi, 1959 [currently Cryptachaea trinidensis (Levi, 1959)]
- Achaearanea turquino Levi, 1959 [currently Hentziectypus turquino (Levi, 1959)]
- Achaearanea uviana Levi, 1963 [currently Cryptachaea uviana (Levi, 1963)]
- Achaearanea wan Levi, Lubin & Robinson, 1982 [currently Parasteatoda wan (Levi, Lubin & Robinson, 1982)]
- Achaearanea zonensis Levi, 1959 [currently Cryptachaea zonensis (Levi, 1959)]
- Anelosimus camoteensis Lcvi, 1967 [currently Styposos camoteensis (Lcvi, 1967)]

Anelosimus carelmapuensis Levi, 1963 [currently Selkirkiella carelmapuensis (Levi, 1963)]

Anelosimus casablanca Levi, 1963 [currently Kochiura casablanca (Levi, 1963)]

Anelosimus chickeringi Levi, 1956

Anelosimus chiloensis Levi, 1963 [synonym = Kochinra ocellata (Nicolet, 1849)]

Anelosimus domingo Levi, 1963

Anelosimus episinoides Levi, 1963 [currently Clirosiothes episinoides (Levi, 1963)]

Anelosinus jabaquara Levi, 1956

Anelosimus luisi Levi, 1967 [currently Selkirkiella luisi (Levi, 1967)]

Anelosimus magallanes Levi, 1963 [currently Selkirkiella magallanes (Levi, 1963)]

Anelosimus osorno (Levi, 1963) [currently Stemmops osorno (Levi, 1963)]

Anelosimus pacificns Levi, 1956

Anelosimus portazuelo Levi, 1967 [synonym = Selkirkiella alboguttata Berland, 1924]

Anelosimus rabus Levi, 1963

Anelosimus rnpunumi Levi, 1956

Anelosimus saramacca Levi & Smith, 1983 [synonym = Anelosimus domingo Levi, 1963]

Anelosimus temuco Levi, 1963 [currently Kochiura temuco (Levi, 1963)]

Anelosimus tepus Levi, 1967 [currently Styposos tepus (Levi, 1967)]

Anelosimus wellingtoni Levi, 1967 [currently Selkirkiella wellingtoni (Levi, 1967)]

Arctachoea pelyx Levi, 1957 [currently Chrysso pelyx (Levi, 1957)]

Cabello eugeni Levi, 1964

Argyrodes solidao Levi, 1967 [currently Faiditus solidao (Levi, 1967)]

Chrosiothes iviei Levi, 1964

Chrosiothes jamaicensis Levi, 1964

Chrosiothes litus Levi, 1964

Chrosiothes niteroi Levi, 1964

Chrosiothes portalensis Levi, 1964

Chrysso alecula Levi, 1962

Chrysso antonio Levi, 1962

Chrysso arima Levi, 1962

Chrysso arops Levi, 1962

Chrysso caraca Levi, 1962 [synonym = Chrysso arops Levi, 1962]

Chrysso ecuadorensis Levi, 1957

Chrysso gounellei Levi, 1962

Chrysso huanuco Levi, 1957

Chrysso mariae Levi, 1957

Chrysso melba Levi, 1962

Chrysso questona Levi, 1962

Chrysso ribeirao Levi, 1962 [synonym = Chrysso arops Levi, 1962]

Chrysso sicki Levi, 1957

Chrysso silva Levi, 1962

Chrysso simoni Levi, 1962

Chrysso vallensis Levi, 1957

Chrysso volcanensis Levi, 1962

Dipoena anahuas Levi, 1963

Dipoena anas Levi, 1963

Dipoena appalachia Levi, 1953

Dipoena augara Levi, 1963

Dipoena barro Levi, 1963 [synonym = Dipoena anas Levi, 1963]

Dipoena bellingeri Levi, 1963

Dipoena beni Levi, 1963

Dipoena bernardino Levi, 1963

Dipoena bimini Levi, 1963

Dipoena boquete Levi, 1963

Dipoena cathedralis Levi, 1953

Dipoena chathanii Levi, 1953

Dipoena chickeringi Levi, 1953

Dipoena chillana Levi. 1963

Dipoena copiosa Levi, 1963 [synonym = Dipoena cordiformis Keyserling, 1886]

Dipoena daltoni Levi, 1953 [synonym = Lasaeola atopa (Chamberlin, 1949)]

Dipoena esra Levi, 1963

Dipoena fortunata Levi, 1953

Dipoena inca Levi, 1963 [synonym = Dipoena tingo Levi, 1963]

Dipoena ira Levi, 1963

Dipoena itu Levi, 1963 [synonym = Dipoena taeniatipes Keyserling, 1891]

Dipoena josephus Levi, 1953

Dipoena keyserlingi Lcvi, 1963

Dipoena kuyuwini Levi, 1963

Dipoena lana Levi, 1953

Dipoena liguanea Levi, 1963

Dipoena luisi Levi, 1953

Episinns nadleri Levi, 1955

Dipoena malkini Levi, 1953 Dipoena mendoza Levi, 1967 Dipoena mertoni Levi, 1963 Dipoena neotoma Levi, 1953 Dipoena niteroi Levi, 1963 Dipoena ocosingo Levi, 1953 Dipoena ohigginsi Levi, 1963 Dipoena olivenca Levi, 1963 Dipoena opana Levi, 1963 Dipoena origanata Levi, 1953 Dipoena pallisteri Levi, 1963 Dipoena perimenta Levi, 1963 Dipoena peruensis Levi, 1963 Dipoena plaumanni Levi, 1963 Dipoena provalis Levi, 1953 Dipoena pnertoricensis Levi, 1963 Dipoena rita Levi, 1953 Dipoena santacatarinae Levi, 1963 Dipoena schmidti Levi, 1963 [synonym = Dipoena banksi Chickering, 1943] Dipoena sicki Levi, 1963 [synonym = Dipoena variabilis (Keyserling, 1886)] Dipoena standleyi Levi, 1963 Dipoena sulfurica Levi, 1953 Dipoena tecoja Levi, 1953 Dipoena tingo Levi, 1963 Dipoena tiro Levi, 1963 Dipoena trinidensis Levi, 1963 Dipoena washougalia Levi, 1953 Dipoena waspucensis Levi, 1963 Dipoena wovtkowskii Levi, 1963 Echinotheridion cartum Levi, 1963 Echinotheridion elicolum Levi, 1963 Echinotheridion othuni Levi, 1963 Enoplognatha maricopa Levi, 1962 Enoplognatha puno Levi, 1962 Enoplognatha zapfeae Levi, 1962 Episinus aspus Levi, 1964 Episinus chiapensis Levi, 1955 Episinus colima Levi, 1955 Episinus cuzco Levi, 1967 Episinns dominicus Levi, 1955

Episinus emanns Levi, 1964

Episimis jnarezi Levi, 1955

Episinus moyobamba Levi, 1964

Episinus panamensis Levi, 1955 Episinus pyrus Levi, 1964 Episinus recifensis Levi, 1964 [currently Neopisinus recifensis (Levi, 1964)] Episinus rio Levi, 1967 Episinus teresopolis Levi, 1964 Episinns unitus Levi, 1964 Episinns vaticus Levi, 1964 Episiums zurlus Levi, 1964 Euryopis bryantae Levi, 1954 [synonym = Euryopis quinquemaculata Banks, 1900] Euryopis camis Levi, 1963 Euryopis cobreensis Levi, 1963 Euryopis coki Levi, 1954 Enryopis gertschi Levi, 1951 Enryopis mulaiki Levi, 1954 Enryopis pepini Levi, 1954 Enryopis pickardi Levi, 1963 Euryopis sankea Levi, 1951 Euryopis spiritus Levi, 1954 Enryopis tavara Levi, 1954 Euryopis varis Levi, 1963 Euryopis weesei Levi, 1963 Helvibis rossi Levi, 1964 Helvibis tingo Levi, 1964 Latrodectus dahli Levi, 1959 Paidisca camano Levi, 1957 [currently Thymoites cantano (Levi, 1957)] Paidisca missionensis Levi, 1957 [currently Thymoites missionensis (Levi, 1957)] Paidisca sarasota Levi, 1957 [currently Thymoites sarasota (Levi, 1957)] Paidisca sclerotis Levi, 1957 [currently Thymoites sclerotis (Levi, 1957)] Pholcomma barnesi Levi, 1957 Pholcomma carota Levi, 1957 Pholconma mantinum Levi, 1964 Phoroncidia coquimbo Levi, 1964 [synonym = Phoroncidia pennata (Nicolet, 1849)] Phoroncidia gira Levi, 1964 Phoroncidia margamarga Levi, 1964 [synonym = Phoroncidia variabilis (Nicolet, 1849)] Phoroncidia moyobamba Levi, 1964 Phoroncidia nicoleti Levi, 1964 Phoroncidia puvelme Levi, 1967

Phoroncidia ravot Levi, 1964

Phoroncidia reimoseri Levi, 1964

Phoroncidia saboya Levi, 1964

Phoroncidia studo Levi, 1964

Phoroncidia tina Levi, 1964

Phoroncidia triunfo Levi, 1964

Sphyrotiums bogus Levi, 1959 [currently Thymoites bogus (Levi, 1959)]

Sphyrotimus boneti Levi, 1959 [currently Thymoites boneti (Levi, 1959)]

Sphyrotimus boquete Levi, 1959 [currently Thymoites boquete (Levi, 1959)]

Sphyrotinus bradti Levi, 1959 [currently Thymoites bradti (Levi, 1959)]

Sphyrotinns chiapensis Levi, 1959 [currently Thymoites chiapensis (Levi, 1959)]

Sphyrotinus chickeringi Levi, 1959 [currently Thymoites chickeringi (Levi, 1959)]

Sphyrotimus corns Levi, 1959 [currently Thymoites corns (Levi, 1959)]

Sphyrotinns delicatulus Levi, 1959 [currently Thymoites delicatulus (Levi, 1959)]

Sphyrotimus deprus Levi, 1959 [synonym = Thymoites confraternus (Banks, 1898)]

Sphyrotinus matachic Levi, 1959 [currently Thymoites matachic (Levi, 1959)]

Sphyrotimus notabilis Levi, 1959 [currently Thymoites notabilis (Levi, 1959)]

Sphyrotimis orilla Levi, 1959 [currently Thymoites orilla (Levi, 1959)]

Sphyrotimus piarco Levi, 1959 [currently Thymoites piarco (Levi, 1959)]

Sphyrotimus prolatus Levi, 1959 [currently Thymoites prolatus (Levi, 1959)]

Sphyrotimus reservatus Levi, 1959 [currently Thymoites reservatus (Levi, 1959)]

Sphyrotimus simla Levi, 1959 [currently Thymoites simla (Levi, 1959)]

Sphyrotinus verns Levi, 1959 [currently Thymoites verus (Levi, 1959)]

Spintharus hentzi Levi, 1955 [synonym = Spintharus flavidus Hentz, 1850]

Steatoda chinchipe Levi, 1962

Steatoda diamantina Levi, 1962

Steatoda marta Levi, 1962

Steatoda mexicana Levi, 1957

Steatoda saltensis Levi, 1957

Stemmops cambridgei Levi, 1955

Stemmops cryptus Levi, 1955

Stemmops lina Levi, 1955

Stemmops melhis Levi, 1964

Stemmops orsus Levi, 1964

Stemmops questus Levi, 1955

Stemmops servus Levi, 1964

Stemmops vicosa Levi, 1964

Stemmops victoria Levi, 1955

Styposis ajo Levi, 1960

Styposis chickeringi Levi, 1960

Styposis clausis Levi, 1960

Styposis colorados Levi, 1964

Styposis nicaragnensis Levi, 1960

Styposis rancho Levi, 1960

Styposis scleropsis Levi, 1960

Styposis selis Levi, 1964

Tekellina archboldi Levi, 1957

Theridion aeolium Levi, 1963

Theridion agrarium Levi, 1963

Theridion agrifoliae Levi, 1957

Theridion akme Levi, 1959

Theridion akron Levi, 1959

Theridion altum Levi. 1963 [synonym = Theridion soaresi Levi, 1963]

Theridion amarga Levi, 1967

Theridion amatitlan Levi, 1963

Theridion anson Levi, 1967

Theridion autron Levi, 1963 [synonym = Theridion filum Levi, 1963]

Theridion aporum Levi, 1963

Theridion apulco Levi, 1959

Theridion aragna Levi, 1963

Theridion archeri Levi, 1959

Theridion arizonense Levi, 1957

Theridion armouri Levi, 1959 [currently Ameridion armouri (Levi, 1959)]

Theridion artum Levi, 1959

Theridion athixco Levi, 1959 [currently Ameridion athixco (Levi, 1959)]

Theridion bridgesi Levi, 1959 [currently Ameridion bridgesi (Levi, 1959)]

Theridion chilapa Levi, 1959 [currently Ameridion chilapa (Levi, 1959)]

Theridion clemens Levi, 1959 [currently Ameridion clemens (Levi, 1959)]

Theridion aulos Levi, 1963

Theridion bahasarense Levi, 1963 Theridion barbarae Levi, 1959

Theridion barroamm Levi, 1959 [currently Exalbidion barroamm (Levi, 1959)]

Theridion beebei Levi, 1963 Theridion bellatulum Levi, 1963

Theridion bergi Levi, 1963
Theridion biezankoi Levi, 1963
Theridion bolivari Levi, 1959
Theridion bolum Levi, 1963
Theridion botanicum Levi, 1963

Theridion cameronense Levi, 1957

Theridion cazieri Levi, 1959
Theridion centrum Levi, 1959
Theridion chacoense Levi, 1963
Theridion chihuahua Levi, 1959
Theridion chiriqui Levi, 1959
Theridion choroni Levi, 1963

Theridion cobanum Levi, 1959 [currently Ameridion cobanum (Levi, 1959)]

Theridion colima Levi, 1959 [currently Ameridion colima (Levi, 1959)]

Theridion cochise Levi, 1963
Theridion cochrum Levi, 1963
Theridion cohmi Levi, 1963
Theridion contreras Levi, 1959
Theridion costaricaense Levi, 1963

Theridion cowlesae Levi, 1957 Theridion coyoacan Levi, 1959 Theridion crucum Levi, 1959 Theridion cuyutlan Levi, 1963

Theridion davisorum Levi, 1959

Theridion dilntnm Levi, 1957 Theridion dominica Levi, 1963 Theridion dreisbachi Levi, 1959 Theridion ecuadorense Levi, 1963

Theridion eremum Levi, 1963 Theridion exlineae Levi, 1963

Theridion fieldi Levi, 1951 [synonym = Theridion

hemerobium Simon, 1914] Theridion filum Levi, 1963 Theridion frio Levi, 1959 Theridion frizzellorum Levi, 1963

Theridion galernni Levi, 1959 Theridion gertschi Levi, 1959

Theridion goodnightorum Levi, 1957 Theridion grandiosum Levi, 1963

Theridion grandiosum Levi, 1963
Theridion grecia Levi, 1959
Theridion hassleri Levi, 1963
Theridion hidalgo Levi, 1957
Theridion hondurense Levi, 1959

Theridion huanuco Levi, 1963 Theridion humboldti Levi, 1967 Theridion iramon Levi, 1963 Theridion isorium Levi, 1963

Theridion istokpoga Levi, 1957

Theridion jaimaicense Levi, 1959 [currently Jamaitidion jaimaicense (Levi, 1959)]

Theridion kawea Levi, 1957 Theridion lago Levi, 1963

Theridion lathropi Levi, 1959 [currently Ameridion lathropi (Levi, 1959)]

Theridion malkini Levi, 1959 [currently Ameridion malkini (Levi, 1959)]

Theridion marvum Levi, 1959 [currently Ameridion marvum (Levi, 1959)]

Theridion moctezuma Levi, 1959 [currently Ameridion moctezuma (Levi, 1959)]

Theridion leones Levi, 1959
Theridion linaresense Levi, 1963

Theridion llano Levi, 1957

Theridion logan Levi & Patrick, 2013 Theridion machu Levi, 1963

Theridion macuchi Levi, 1963 Theridion maranum Levi, 1963 Theridion maron Levi, 1963 Theridion martini Levi, 1959

Theridion miami Levi, 1980 [synonym = Theridion melanostictum O.Pickard-Cambridge, 1876]

Theridion michelbacheri Levi, 1957 Theridion micheneri Levi, 1963 Theridion monzonense Levi, 1963

Theridion musawas Levi, 1959 [currently Amer-

idion musawas (Levi, 1959)] Theridion myersi Levi, 1957 Theridion nadleri Levi, 1959 Theridion neshamini Levi, 1957 Theridion nesticum Levi, 1963 [synonym = Theridion teresae Levi, 1963]

Theridion nudum Levi, 1959

Theridion olanp Levi, 1963 [currently Kochiura olanp (Levi, 1963)]

Theridion omiltemi Levi, 1959

Theridion onticolum Levi, 1963

Theridion opolon Levi, 1963

Theridion opuntia Levi, 1963

Theridion osprum Levi, 1963

Theridion oswaldocruzi Levi, 1963

Theridion paidiscum Levi, 1959 [currently Ameridion paidiscum (Levi, 1959)]

Theridion pallisterorum Levi, 1959 [currently Exalbidion pallisterorum (Levi, 1959)]

Theridion panamense Levi, 1959 [currently Wamba panamensis (Lcvi, 1959)]

Wirada tijuca Levi, 1967

Theridion panum Levi, 1959 [currently Ameridion panum (Levi, 1959)]

Theridion petrum Levi, 1959 [currently Ameridion petrum (Levi, 1959)]

Theridion paraense Levi, 1963

Theridion pelaezi Levi, 1963

Theridion penai Levi, 1963 [synonym = Theridion ambiguum Nicolet, 1849]

Theridion pernambucum Levi, 1963

Theridion pierre Levi & Patrick, 2013

Theridion pires Levi, 1963

Theridion plantatum Levi, 1959 [currently Ameridion plantatum (Levi, 1959)]

Theridion plaumanni Levi, 1963

Theridion progum Levi, 1959 [currently Ameridion progum (Levi, 1959)]

Theridion quantum Levi, 1959 [currently Ameridion quantum (Levi, 1959)]

Theridion quemadınıı (Levi, 1959) [synonym = Ameridion unanimum (Keyserling, 1891]

Theridion rampum Levi, 1963

Theridion ravum Levi, 1963

Theridion reservum Levi, 1959 [currently Ameridion reservum (Levi, 1959)]

Theridion resum Levi, 1959

Theridion ricense Levi, 1959

Theridion rinconense Lcvi, 1959 [currently Ameridion rinconense (Levi, 1959)]

Theridion rossi Levi, 1963

Theridion rothi Levi, 1959

Theridion rufipunctum Levi, 1959 [currently Exalbidion rufipunctum (Levi, 1959)]

Theridion ruinum Levi, 1959 [currently Ameridion ruinum (Levi, 1959)]

Theridion rurrenabaque Levi, 1963

Theridion sanctum Levi, 1959

Theridion schlingeri Levi, 1963

Theridion schmidti Levi, 1959 [currently Ameridion schmidti (Levi, 1959)]

Theridion schrammeli Levi, 1963

Theridion senckenbergi Levi, 1963

Theridion signaculum Levi, 1959 [currently Ameridion signaculum (Levi, 1959)]

Theridion signum Levi, 1959 [currently Ameridion signum (Levi, 1959)]

Theridion sinaloa Levi, 1959

Theridion soaresi Levi, 1963

Theridion stamotum Levi, 1963

Theridion stannardi Levi, 1963

Theridion tebanum Levi, 1963

Theridion tempum Levi, 1959 [currently Ameridion tempum (Levi, 1959)]

Theridion teresae Levi, 1963

Theridion timpanogos Levi, 1957

Theridion topo Levi, 1963

Theridion tristani Levi, 1959

Theridion tungurahua Levi, 1963 [synonym = Exalbidion fungosum (Keyserling, 1886)]

Theridion turrialba Levi, 1959

Theridion umbilicus Levi, 1963

Theridion urucum Levi, 1963

Theridion utcuyacu Levi, 1963

Theridion valleculum Levi, 1959

Theridion vulvum Levi, 1959

Theridion wevrauchi Levi, 1963

Theridion yuma Levi, 1963

Theridiotis barrowsi Levi, 1954 [synonym = Chrosiothes silvaticus Simon, 1894]

Theridiotis chirica (Levi, 1954) [currently Chrosiothes chirica (Levi, 1954)]

Theridiotis goodnightorum (Levi, 1954) [currently Chrosiothes goodnightorum (Levi, 1954)]

Theridiotis tonala Levi, 1954 [currently Chrosiothes tonala (Levi, 1954)]

Theridiotis wagneri Levi, 1954 [currently Chrosiothes wagneri (Levi, 1954)]

Theridula casas Levi, 1954

Theridula emertoni Levi, 1954

Theridula puebla Levi, 1954

Thymoites aloitus Levi, 1964

Thymoites amprus Levi, 1964

Thymoites anicus Levi, 1964

Thymoites anserma Levi, 1964

Thymoites ebus Levi, 1964

Thymoites ilvan Levi, 1964

Thymoites incachaca Levi, 1964

Thymoites ipiranga Levi, 1964

Thymoites iritus Levi, 1964

Thymoites Iori Levi, 1964

Thymoites machin Levi, 1967

Thymoites maracayensis Levi, 1964

Thymoites minnesota Levi, 1964

Thymoites mirus Levi, 1964

Thymoites palo Levi, 1967

Thymoites ramon Levi, 1964

Thymoites urubamba Levi, 1967

Thymoites villarricaensis Levi, 1964